# SUBJECT INDEX

***Bold figures indicate the issue***


**Acoustic waves** in the presence of electron currents. On the paramagnetic excitation of – **4,** 8

**Ageing** and plastic deformation on the structure and mechanical properties of alloy Ni15Kh5G3T3 with metastable austenite. Influence of – **2,** 129

– and plastic deformation on the structure of an Al–Zn–Mg alloy. Features of the influence of – **4,** 159

**Alloy** A–B–(C). Influence of short-range order on the ordering of – **5,** 85

– , Al–Zn–Mg. Features of the influence of ageing and plastic deformation on the structure of an – **4,** 159

– , complex titanium. Structural changes during the heating of a – **6,** 159

– , Co–Pt, and the influence of magnetic annealing. Structural features of the initial stages of ordering in – **4,** 140

– , Co–9 at.% Ti. Investigation of kinetic features of the decomposition of – **1,** 128

– , Fe–3% Si. Influence of recrystallization processes on the behaviour of dispersed inclusions in – **3,** 125

– , iron–nickel–molybdenum, with isothermal transformation kinetics. Influence of annealing on the austenite structure and martensitic transformation in an – **4,** 86

– KhN77TY *R*. Influence of high-temperature thermomechanical treatment of the load-elongation curves of single crystals of – **2,** 153

– , KhN35VTYu Concerning the influence of the $\gamma'$ phase on the temperature dependence of the work of rupture of heat-resistant – **4,** 179

– , magnesium. Role of diffusion creep during superplastic deformation of – **6,** 144

– , N15Kh5G3T3, with metastable austenite. Influence of ageing and plastic deformation on the structure and mechanical properties of – **2,** 129

– , NiPt. Ordering kinetics and mechanism of domain structure formation during isothermal tempering of a quenched – **2,** 121

– $Ni_3Fe$. Influence of experimental temperature on the work hardening of mono- and polycrystalline – **3,** 152

– , $V_3Si$. Investigation of the optical properties of – **6,** 167

**Alloys,** binary, with determination of interaction parameters from experimental diagrams. Computer calculation of the constitution diagrams of certain – **5,** 96

– , binary. Influence of short-range order on the heat of formation of – **4,** 185

– , binary metallic. On the electrical and thermoelectrical properties of – **4,** 193

– AlZn after hydrostatic compression. Diffraction of X-rays by single crystals of ageing – **5,** 182

– CoFe(SiB) during annealing treatment at temperatures below the crystallization point. On the initial stages of decomposition of the amorphous state of – **3,** 186

– , copper–aluminium–manganese. Small ferromagnetic inclusions in – 4, 41
– , copper–tin and copper–tin–aluminium. Phase structure in quenched and aged – 1, 174
– Cu+10 at.% Ni. Strengthening, recovery and structural changes during creep of – 5, 156
– , Cu–Ni–Co. Magnetic properties of the system of dispersed ferromagnetic particles in – 2, 187
– Dy–Sm. Magnetoresistance of – 6, 58
– FeCo, FeNi and CoNi. Residual coefficient of the anomalous Hall effect in – 4, 68
– , Fe–Mn–Al, isostructural with $\beta$-Mn. Ordering of iron atoms in – 6, 177
– $(Fe_{1-x}Ni_x)_{80}P_{20}$. Magnetic anomalies of the Invar type in amorphous ferromagnetic – 6, 173
– , Fe–Cr–Co–Mo, maraging – . Phase transformations during high-temperature austenitization and decomposition of the solid solution in the – 3, 137
– , Fe–Mn, during plastic deformation. Mechanical twinning of the h.c.p. $\varepsilon$ phase of – 2, 148
– , Fe–Ni. Influence of heat and radiation treatment of austenite on the martensitic transformation in – 3, 100
– , Fe–Ni–Mo and Fe–Ni–Si. Influence of the redistribution of atoms in the austenite of – 2, 94
– , Fe–Zn. Structure and hardness of the martensite in – 2, 166
– , ferromagnetic, with amorphous and crystalline states. Magneto-optical spectra of – 5, 91
– $Ga_{1-x}Mn_xSb$ in the range 80–1000°K. Investigation of the kinetic properties of – 5, 166
– , holmium and holmium–samarium. Magnetic phase transitions in – 1, 58
– , influence of local symmetry on the magnetic anisotropy of – 6, 78
– , iron and Fe–Cr. X-ray diffraction investigation of phase transformations in – 1, 82
– , Fe–Ni, during the $\gamma \rightarrow \alpha$ transformation. Appearance of electromotive force in – 5, 172
– , iron–chromium–cobalt. Anisotropy of the elastic properties in – 5, 189
– , iron–nickel, peculiarities of secondary recrystallization in – 2, 86
– , iron–nickel and nickel–manganese. Low temperature critical neutron scattering in – 2, 190
– , iron–nickel–chromium, in weak magnetic fields. Magnetic properties of – 3, 203
– , iron–nitrogen. Influence of phase transformations on secondary ion-ion emission in – 2, 173
– , iron–nickel, with chromium. Model of the density of electronic states and calculation of the magnetic parameters of – 6, 31
– , of iron with terbium. Magnetoelastic hysteresis in – 2, 55
– , manganese–copper. Elastic constants of – 4, 182
– , molybdenum. Role of nucleation conditions in the formation of an oxide phase internal oxidation of – 4, 96
– , nickel. Recrystallization and grain growth in – 4, 145
– , nickel–aluminium. Influence of silicon on diffusion in – 5, 138
– , niobium–tin–copper. Phase equilibria and the superconductive properties of – 1, 170
– Ni–Pt, Ni–Fe and Al–Zn. Theory of the calculation of short-range order para-

meters in any coordination sphere in the pseudopotential approximation, and its application to a study of – 1, 40
– PdFe, PdCo and PdNi. Thermo e.m.f. of – 6, 50
– $Pd_{1-x}W_x$. Short-range order in – 3, 184
– , platinum–iridium. Field ion microscopy of structure transformations in – 1, 121
– , Pt–Fe. On the transition from antiferromagnetism to ferromagnetism in ordered – 3, 76
– , titanium–niobium–zirconium. Non-magnetic localized iron impurity states in – 2, 39
– $V_{2-x}Nb_xHf$. Nuclear magnetic resonance in – 6, 94
– with a critical concentration and Invar anomalies. Magnetic properties of – 2, 32
– with an f.c.c. lattice. Continuous approximation of the theory of interstitial diffusion in metals and – 3, 34
**Aluminium,** interaction of hydrogen with, influence of surface reactions on the rate of – 3, 144
– , grain boundary internal friction in recrystallizing – 2, 203
**Amorphous and crystalline states,** magneto-optical spectra of ferromagnetic alloys with – 5, 91
**Amorphous state** of alloys CoFe(SiB) during annealing treatment at temperatures below the crystallization point. On the initial stages of decomposition of the – 3, 186
**Amplification,** parametric, of magnetic waves in spin glass by elastic pumping 3, 24
**Anisotropy,** magnetic, in two-layer films of Permalloy–Me(Cu, Al) 3, 41
– , magnetic, of alloys. Influence of local symmetry on the – 3, 78
– of the crystal potential on the band structure of titanium and nickel. Influence of – 5, 184
– of transverse even galvanomagnetic effects in natural weakly ferromagnetic hematite 1, 29
– of the elastic properties in iron–chromium–cobalt alloys 5, 189
– of the easy plane type. On the theory of weak uniaxial ferromagnets with – 5, 53
– , perpendicular, on the theory of the stripe domain structure in films with – 3, 51
**Annealing,** influence of. On the austenite structure and martensitic transformation in an iron–nickel–molybdenum alloy with isothermal transformation kinetics 4, 86
– , investigation of the plastic loosening of a metal and the healing of strain-induced defects during – 2, 143
– , magnetic. Structural features of the initial stages of ordering in alloy Co–Pt and the influence of – 4, 140
– of microvoids formed during creep. Peculiarities of the – 2, 105
– treatment at temperatures below the crystallization pont. On the initial stages of decomposition of the amorphous state of alloys CoFe(SiB) during – 3, 186
**Anomalies,** Invar, magnetic properties of alloys with a critical concentration and – 2, 32
**Antiferromagnetic state,** magnetization of monocrystalline terbium in – 2, 44
**Antiferromagnetism,** on the transition from – to ferromagnetism in ordered Pt–Fe alloys 3, 76
**Antiferromagnets,** phase transitions in ferroelectric – 6, 150
– , some peculiarities on the high-frequency properties of weak ferromagnets and – 1, 193

**Antimony,** a comparison of the effect of arsenic and – on the band structure of bismuth 2, 175
**Atom,** interstitial, in a split configuration. Dynamics of a b.c.c. lattice containing an – 5, 38
**Atoms** in interstitial solutions. Static displacement and deformation interaction of – 2, 160
– , temperature behaviour of the magnetization of Permalloy alloys in the presence of impurity – 6, 73
**Austenite,** influence of heat and radiation treatment of – on the martensite transformation in Fe–Ni alloys 3, 100
– , Influence of the high-temperature deformation of – on the structure and ageing kinetics of maraging steel N12K7M5TYu 5, 129
– , On the orientation of ferrire in pearlite relative to – 4, 190
**Austenite grain,** on recovery of the – during rapid heating of quenched carbon steels 3, 200
**Austenite stability,** influence of, on the impact toughness of some austenitic steel. I. The quenched state 4, 152
**Austenite structure** and martensitic transformation in an iron–nickel–molybdenum alloy with isothermal transformation kinetics. Influence of annealing on the – 4, 86
**Austenitization** and decomposition of the solid solution in Fe–Cr–Co–Mo maraging alloys. Phase transformations during high-temperature – 3, 137

**Bain deformation,** conditions under which waves comparable with – are generated 5, 30
**Bainite transformation** in steel. Suppression of the – 3, 197
**B.c.c. lattice** containing an interstitial atom in a split configuration. Dynamics of a – 5, 38
**Bismuth,** a comparison of the effect of arsenic and antimony on the band structure of – 2, 175
**Bismuth crystals** held under load for a long time. Variations of wedge-shaped twins in – 2, 201
**Bloch–Neel domain** wall transition point. Discontinuity of the limiting velocities at the – 3, 194
**Brittle failure** of steel 35G5 after quenching and medium tempering. Influence of phosphorus grain boundary segregations and the microstructure on the – 4, 123
**Bubble domains,** resonance properties of thin magnetic films where there is a lattice of – 1, 187
**Bubble plates** inhomogeneous in depth. Static and dynamic properties of the domain walls of – 3, 59

**Carbonitrides** in steel. The possibilities of using the model of perfect solutions for calculating the equilibrium composition and solubility of complex – 2, 177
**Cementite,** on the Young's modulus of – 3, 177
**Charge transfer,** controlling the composition of bismuth-based single crystals by the method of – 2, 181
**Chromium,** model of the density of electronic states and calculation of the magnetic parameters of iron–nickel alloys with – 6, 31
**Cobalt** and nickel atoms over the crystal lattice sites in compounds $Y(Ce_{1-x}Ni_x)_5$ and $La(Ce_{1-x}Ni_x)_5$. Neutron diffraction investigation of the distribution of – 3, 120
**Coercive force** of a single crystal with narrow domain boundaries 1, 64
– of domain wall migration in thin films. On the nature of the – 1, 69
**Coherent phase,** formation of, on stress raisers – . The influence of the dissociation of

dislocations, presence of dislocation assemblages and differences in the elastic moduli of the phases **1,** 87
**Composite V/Cu-Ga.** On the formation mechanism of the phase $V_3Ga$ in – **5,** 122
**Composition** of sintered magnet of $Sm_2Co_7$. Coercive force and phase – **5,** 194
**Compounds,** superconductive rare-earth, magnetic ordering in – **5,** 1
**Compression,** influence of, on the structural changes of low- and high-tempered engineering steel prestressed in tension **3,** 109
**Crack formation** on the boundaries of grains and twins in zinc cooled to low temperature **2,** 167
**Creep** of nickel. Dynamics of the variation of dislocation density during – **3,** 180
– of polycrystalline iron. Influence of the direction of $\alpha \rightleftarrows \gamma$ transformation on – **5,** 162
– , peculiarities of the annealing of microvoids formed during – **2,** 105
– , relation between the precipitation of sedondary phases and the deformation and rupture of heat-resistant steels during – **1,** 74
– of alloys Cu+10 at.% Ni. Strengthening, recovery and structural changes during – **5,** 156
– , the development of a substructure and internal stresses during – **6,** 129
**Creep testing** in reactor BR-10. Electron microscopic analysis of the microstructure of steel OKh16N15M13B after – **6,** 154
**Critical brittle point** of polycrystalline metals with a b.c.c. lattice. Relation between the structure parameters and – **2,** 79
**Crystal,** energy sub-bands in the polar model of a – **4,** 1
**Crystal potential,** influence of anisotropy of the, on the band structure of titanium and nickel **5,** 184
**Crystalline states,** magneto-optical spectra of ferromagnetic alloys with amorphous and – **5,** 91
**Crystallization point,** on the initial stages of decomposition of the amorphous state of alloys CeFe(SiB) during annealing treatment at temperatures below the – **3,** 186
**Crystallographic features** of the rupture of molybdebum single crystals tested in tension along the [001] axis **1,** 163
**Crystallography** of dislocation inheritance during the martensitic transformations which are described by non-iniform lattice deformation **4,** 15
**Crystals** with percolation second-order phase transitions. Ordered regions near macroscopic defects in – **6,** 7
– , X-ray scattering by deformed – **3,** 11

**De Haas–van Alphen effect** in an electron fluid. The low-temperature adiabatic – **5,** 63
**Decomposition** in ordered alloys with a periodic antiphase domain structure. Study of – **6,** 123
– of alloy Co–9 at. % Ti. Investigation of kinetic features of the – **1,** 128
– of the amorphous state of alloys CoFe(SiB) during annealing treatment at temperatures below the crystallization point. On the initial stages of – **3,** 185
– of the solid solution in Fe–Cr–Co–Mo maraging alloys. Phase transformations during high-temperature austenitization and – **3,** 137
**Defects,** description of the one-dimensional flow of configurations of a domain wall moving in a random field of point – **2,** 1
**Deformation,** crystallography of dislocation inheritance during the martensite transformations which are described by non-uniform lattice – **4,** 15

– , influence of type of, and of dislocation structure of silicon iron in the range 20–500° C 6, 134
– interaction of atoms in interstitial solutions. Static displacement and – 2, 160
– , mechanical twinning of the h.c.p. ε phase of Fe–Mn alloys during plastic – 2, 148
– of austenite, influence of the high-temperature – on the structure and ageing kinetics of maraging steel N12K7M5TYu 5, 129
– of magnesium alloy. Role of diffusion creep during superplastic – 6, 144
– , influence of ageing and plastic – on the structure and mechanical properties of alloy Ni15Kh5G3T3 with metastable austenite 2, 129
– , influence of plastic – on the suscebtibility of zircenium 2, 170
– , relation between the precipitation of secondary phases and the – and rupture of heat-resistant steels during creep 1, 74
**Density** of electronic states. Nuclear magnetic resonance and susceptibility of $V_2$(Hf, Zr) compounds. – 3, 91
**Diffraction of X-rays** by single crystals of ageing alloys AlZn after hydrostatic compression 5, 182
**Diffusion** in metals and alloys with an f.c.c. lattice. Continuous approximation of the theory of interstitial – 3, 34
– in nickel–aluminium alloys. Influence of silicon on – 5, 138
– , mutual, in the system Ti–Ni–Co 5, 178
– , solubility and residual resistivity of sulphur in nickel 2, 113
**Diffusion creep** during superplastic deformation of magnesium alloy. Role of – 6, 144
**Diffusion zone,** point traps in a – 2, 183
**Dislocation** anharmonism of plastically deformed metals. Rayleigh wave investigation of the 1, 155
– assemblages and differences in the elastic moduli of the phases. Formation of a coherent phase on stress raisers. The influence of the dissociation of dislocations, presence of – 1, 87
– density during creep of nickel. Dynamics of the variation of – 3, 180
– inheritance during the martensitic transformations which are described by non-uniform lattice deformation. Crystallography of – 4, 15
– structure of silicon iron in the range 20–500° C. Influence of type of deformation and of – 6, 134
**Dislocations,** contribution of basal – to the residual resistivity of zinc single crystals 3, 164
**Disclination,** dislocation and – kinetics and the formation of a fragmented structure 4, 32
**Disclinations,** kinetics of dislocations and – 1, 47
**Domain boundaries,** coercive force of a single crystal with narrow – 1, 64
**Domain boundary** time lag during the remagnetization of magnetically uniaxial high-anisotropy ferromagnets 5, 191
**Domain structure** in films with perpendicular anisotropy. On the theory of the stripe – 3, 51
– of single crystals of Fe–3% Si at high maximum levels of induction. Electromagnetic losses and the dynamic behaviour of the – 4, 76
– , study of decomposition in ordered alloys with a periodic antiphase – 6, 123
**Domain structure formation** during isothermal tempering of a quenched alloy NiPt. Ordering kinetics and mechanism of – 2, 121

**Domain wall** moving in a random field of point defects. Description of the one-dimensional flow of configurations of a – **2,** 1
– Influence of the form of the random potential of a – on magnetic hysteresis. I. Highly localized centres of pinning **3,** 1
– Influence of the form of random potentials of – on the magnetic hysteresis. II. Pinning by defects with a finite radius of interaction **5,** 43
**Domain wall migration** in thin films. On the nature of the coercive force of – **1,** 69
**Domain walls** of bubble plates inhomogeneous in depth. Static and dynamic properties of the – **3,** 59
**Domain boundaries,** local coercivity of – **4,** 57
**Domains,** formation of lattices of cylindrical magnetic – from stripe – **4,** 188
– , internal magnetic, not emerging to the surface, in unevenly thick magnetically uniaxial plates **6,** 37
**Dynamic behaviour** of the domain structure of single crystals of Fe–3% Si at high maximum levels of induction. Electromagnetic losses and the – **4,** 76
**Dynamics,** macroscopic equations of magnet – . III. *s-d* model in a variable magnetic field **2,** 20
– of the variation of dislocation density during creep of nickel **3,** 180
**Displacements,** static, and deformation interaction of atoms in interstitial solutions **2,** 160

***ΔE* effect,** behaviour of the magnetization during flexural vibrations, and its interrelation with the – **2,** 66
**Elastic constants** of manganese–copper alloys **4,** 182
**Elastic moduli** of the plates. Formation of a coherent phase on stress raisers. The influence of the dissociation of dislocations, presence of dislocation assemblages and differences in the – **1,** 87
**Electrical properties** of monocrystalline films of lead at 4·2 K. Hetero-epitaxial growth, structure defects and – **5,** 108
**Electromagnetic losses** and the dynamic behaviour of the domain structure of single crystals of Fe–3% Si at high maximum levels of induction **4,** 76
**Electromotive forces** in Fe–Ni alloys during the $\gamma \rightarrow \alpha$ transformation. Appearance of – **5,** 172
**Electron currents,** on the paramagnetic excitation of acoustic waves in the presence of – **4,** 8
**Electron density profile,** influence of a non-uniform – on the plasmon frequency in one-dimensional metals – **2,** 194
**Electron fluid,** the low-temperature adiabatic de Haas–van Alphen effect in an – **5,** 63
**Electron microscopic analysis** of the microstructure of steel OKh16N15M3B after creep testing in reacter BR-10 **6,** 154
**Electron–phonon interaction,** influence of positron– and – on positron trapping by the defects of a metal **6,** 16
**Electronic states** and calculation of the magnetic parameters of iron–nickel alloys with chromium. Model of the density of – **6,** 31
– , nuclear magnetic resonance and susceptibility of $V_2$(Hf, Zr) compounds. Density of – **3,** 91
**Elinvars,** structural features and magnetic properties of Fe–Ni–Cr – **1,** 110
**Epitaxy,** structure and superconductive properties of thin niobium films on a (001) surface of fluorophlogopite **4,** 111

**Failure** of polycrystalline iron in a single operation of loading. Some peculiarities of the – **1,** 145
**Fast-neutron activity,** investigation of oxygen distribution in niobium single crystals by the method of – **3,** 130
**F.c.c. lattice,** continuous approximation of the theory of interstitial diffusion in metals and alloys with an – **3,** 34
**F.c.c. metals,** yield point in some – at 4·2 K **1,** 141
**Fermi surface** of titanium monoxide **1,** 53
– of vanadium monoxide **3,** 169
**Ferrite** in pearlite relative to austentite. On the orientation of – **4,** 190
**Ferrite grains,** nucleation of – during polymorphic transformation **1,** 105
**Ferromagnetic inclusions**, small, in copper–manganese–aluminium alloys **4,** 41
**Ferromagnetic particles** in Cu–Ni–Co alloys. Magnetic properties of the system of dispersed – **2,** 187
**Ferromagnetic specimen,** instantaneous internal friction as a function of the oscillation phase of a – **2,** 59
**Ferromagnetism** in ordered Pt–Fe alloys. On the transition from antiferromagnetism to – **3,** 76
**Ferromagnets,** some peculiarities of the high-frequency properties of weak – and antiferromagnets **1,** 193
– , domain boundary time lag during the remagnetization of magnetically uniaxial high-anisotropy – **5,** 191
– , the magnon spectrum and magnetoacoustic resonance in conductive – **1,** 15
– with strong magnetoelastic interaction. Invar anomalies and the properties of – **5,** 73
– with anisotropy of the easy plane type. On the theory of weak uniaxial – **5,** 53
**Field ion microscopy** of structure transformations in platinum–indium alloys **1,** 121
**Films,** Gd–Co, amorphous, investigation of the temperature stability of – **6,** 119
– , ferromagnetic, surface and volume magnetoelastic waves in perpendicularly magnetized – **6,** 21
– , $Fe_{0\cdot5}Co_{0\cdot5-x}Cr_x$, crystal and magnetic structure of – **6,** 68
– , thin, on the nature of coercive force of domain wall migration in – **1,** 69
– , two-layer, of Permalloy Me(Cu, Al). Magnetic anisotropy in – **3,** 41
– , thin magnetic, where there is a lattice of bubble domains. Resonance properties of – **1,** 187
– with perpendicular anisotropy. On the theory of the stripe domain structure in – **3,** 51
**Fluorophlogopite,** the epitaxy, structure and superconductive properties of thin niobium films on a (001) surface of – **4,** 111
**Free electron gas** of a metal. Polar states and the – **5,** 22
**Friction,** internal, grain boundary – in recrystallizing aluminium **2,** 203
– , internal, instantaneous – as a function of the oscillation phase of a ferromagnetic specimen **2,** 59
– , internal, in the range 20°C to $T_m$ inclusive. Study of the Young's modulus and – **5,** 150
– , internal, in titanium nickelide. Investigation of – **5,** 111
**Friction surface** of austenitic steels to rupture under conditions of wear involving multiple strains. Influence of the martensitic $\gamma \rightarrow \alpha$ transformation on the strengthening kinetics and resistance of the – **1,** 94

**Gallium**, electronic properties of metastable $\beta$ – **2,** 72
**Galvanomagnetic effects** in natural weakly ferromagnetic hematite. Anisotropy of transverse even – **1,** 29
**Gas phase,** variation of dislocation structure according to the texture in tungsten deposited from the – **3,** 115
**Grain boundary,** dependence of the rate of non-activated motion of a – on its orientation **5,** 102
– internal friction in recrystallizing aluminium **2,** 203
**Grain growth** in nickel alloys. Recrystallization and – **4,** 145
**Grains**, crack formation on the boundary of – and twins in zinc cooled to low temperature **2,** 167
**Graphite,** the role of high-angle boundaries in the formation of spheroidal – **4,** 131
**Growth,** hetero-epitaxial, structure defects and electrical properties of monocrystalline films of lead at 4·2 K **5,** 108

**Hall effect** in alloys FeCo, FeNi and CoNi. Residual coefficient of the anomalous – **4,** 68
**Hardness** of the martensite in Fe–Zn alloys. Structure and – **2,** 166
**H.c.p. phase** of Fe–Mn alloys during plastic deformation. Mechanical twinning of the – **2,** 148
**Heat,** influence of, and radiation treatment of austenite on the martensitic transformation in Fe–Ni alloys **3,** 100
– of formation of binary alloys. Influence of short-range order on the – **4,** 185
**Heating** of quenched carbon steels. On recovery of the austenite grain during rapid – **3,** 200
– of a complex titanium alloy. Structural changes during the – **6,** 159
**Heavy ions,** influence of the concentration of pre-injected helium and the temperature of that operation on the concentration of voids in a metal irradiated with – **3,** 175
**Helium,** influence of the concentration of pre-injected – and the temperature of that operation on the concentration of voids in a metal irradiated with heavy ions **3,** 175
**Hematite,** anisotropy of transverse even galvanomagnetic effects in natural weakly ferromagnetic – **1,** 29
**High-angle boundaries,** the role of – in the formation of spheroidal graphite **4,** 131
**Holmium** and holmium–samarium alloys. Magnetic phase transitions in – **1,** 58
**Hydrogen,** influence of solute – on the mechanical properties of palladium **4,** 173
– , interaction of, with aluminium. Influence of surface reactions on the rate of – **3,** 144
– in the structure of a quenched steel. Internal microstresses and the local distribution of – **1,** 101
**Hydrogen atmosphere**, peculiar features in the rupture of steel Kh18N10T during low-cycle fatigue testing in – **3,** 191
**Hydrogen solubility** in metals during melting. Concerning the discontinuity of – **2,** 197
**Hydrostatic compression**, diffraction of X-rays by single crystals of ageing alloys AlZn after – **5,** 182
**Hysteresis,** magnetic, in rare-earth intermetallic compounds $(Tb_{1-x}Gd_x)_3Co$. Magnetic properties, phase transitions and – **6,** 104
– , magnetoelastic, in alloys of iron with terbium **2,** 55

**Indium,** pseudopotential calculation of the lattice dynamics of – **6,** 1
**Induction,** electromagnetic losses and the dynamic behaviour of the domain structure of single crystals of Fe–3% Si at high maximum levels of – **4,** 76

**Interaction,** influence of positron- and electron–phonon – on positron trapping by the defects of a metal 6, 16
**Interaction parameters** from experimental diagrams. Computer calculation of the constitution diagrams of certain binary alloys with determination of – 5, 96
**Intermetallic compounds** $(Tb_{1-x}Gd_x)_3$ Co. Magnetic properties, phase transitions and magnetic hysteresis in rare-earth – 6, 104
**Invar films,** peculiarities of the hyperfine magnetic structure of – 4, 46
**Invar type** in amorphous ferromagnetic alloys $(Fe_{1-x}Ni_x)_{80}P_{20}$. Magnetic anomalies of the – 6, 173
**Ion-ion emission** in iron–nitrogen alloys. Influence of phase transformations on secondary – 2, 173
**Iron** and Fe–Cr alloys. X-ray diffraction investigation of phase transformations in – 1, 82
– , influence of the direction of $\alpha \rightleftarrows \gamma$ transformation on creep of polycrystalline – 5, 162
– in a single operation of loading. Some peculiarities of the failure of polycrystalline – 1, 145
– , twinning in, experiencing a phase shock wave 6, 171
**Iron atoms,** ordering of, in Fe–Mn–Al alloys isostructural with $\beta$-Mn 6, 177
**Iron impurity states,** non-magnetic localized, in titanium–niobium–zirconium alloys 2, 39

**Kinetic features** of the decomposition of alloy Co–9 at.% Ti. Investigation of – 1, 128
**Kinetic properties** of alloys $Ga_{1-x}Mn_xSb$ in the range 80–1000°K. Investigation of the – 5, 166
**Kinetics** and resistance of the friction surface of austenitic steels to rupture under conditions of wear involving multiple strains. Influence of the martensitic $\gamma \rightarrow \alpha$ transformation on the strengthening – 1, 94
– , dislocation and disclination – and the formation of a fragmented structure 4, 32
– , influence of annealing on the austenite structure and martensitic transformation in an iron–nickel–molybdenum alloy with isothermal transformation – 4, 86
– of dislocations and disclinations 1, 47
– , ordering, and mechanism of domain structure formation during isothermal tempering at a quenched alloy NiPt 2, 121

**Lattice,** relation between the structure parameters and critical brittle point of polycrystalline metals with a b.c.c. – 2, 79
**Lattice dynamics** of indium. Pseudopotential calculation of the – 6, 1
**Lattice sites** in compounds $Y(Co_{1-x}Ni_x)_5$ and $La(Co_{1-x}Ni_x)_5$. Neutron diffraction investigation of the distribution of cobalt and nickel atoms over the crystal – 3, 120
**Lattices** of cubic structures. Symmetry of the coincident site – 4, 24
– of cylindrical magnetic domains from stripe domains. Formation of – 4, 188
**Lead,** hetero-epitaxial growth, structure defects and electrical properties of monocrystalline films of – at 4·2 K 5, 108
– , influence of the size factor on the softening of – in the superconductive state 5, 143
**Linear response,** approximate method of calculating – 4, 196
**Lead,** variations of wedge-shaped twins in bismuth crystals held under – for a long time 2, 201

**Load–elongation curves** of single crystals of alloy KhN77TYuR. Influence of high-temperature thermomechanical treatment of the – **2,** 153
**Loading,** some peculiarities of the failure of polycrystalline iron in a single operation of – **1,** 145
**Local coercivity** of domain boundaries **4,** 57
**Low-cycle fatigue testing** in hydrogen atmosphere. Peculiar features in the rupture of steel Kh18N10T during – **3,** 191

**Macroscopic defects** in crystals with percolation second-order phase transitions. Ordered regions near – **6,** 7
**Macroscopic equations** of magnet dynamics. III. *s–d* model in a variable magnetic field **2,** 20
**Magnetic anisotropy** in two-layer films of Permalloy – Me(Cu, Al) **3,** 41
– of alloys, influence of local symmetry on the – **6,** 78
**Magnetic anomalies** of the Invar type in amorphous ferromagnetic alloys $(Fe_{1-x}Ni_x)_{80}P_{20}$ **6,** 173
**Magnetic field,** *s–d* model in a variable – . Macroscopic equations of magnet dynamics. III. – **2,** 20
**Magnetic fields,** magnetic properties in iron–nickel–chromium alloys in weak – **3,** 203
**Magnetic films,** resonance fields of multi- and unilayer – **1,** 190
**Magnetic hysteresis,** influence of the form of the random potential of a domain wall on – . I. Highly localized centres of pinning **3,** 1
– , influence of the form of random potential of a domain wall on the – . II. Pinning by defects with a finite radius of interaction **5,** 43
**Magnetic ordering** in superconductive rare-earth compounds **5,** 1
**Magnetic parameters** of iron–nickel alloys with chromium. Model of the density of electronic states and calculation of the – **6,** 31
**Magnetic phase transitions,** construction of an integral rational basis of invariants for structure and – **2,** 10
– in holmium and holmium–samarium alloys **1,** 58
**Magnetic properties** of $Fe_{1-\delta}Sb$. Influence of non-stoichiometry on the – **3,** 72
– of Fe–Co–Ni Perminvars in the magnetic anisotropy range. Peculiar features of the – **5,** 78
– of Fe–Ni–Cr Elinvars. Structural features and – **1,** 100
– of iron–nickel–chromium alloys in weak magnetic fields **3,** 203
– of $MnB_2$. Magnetoresistance and the – **6,** 89
– of solid solutions of system $Er_xA_{1-x}Fe_2$(A – Sc, Y, Lu). Some of the – **3,** 189
– , phase transitions and magnetic hysteresis in the rare-earth intermetallic compounds $(Tb_{1-x}Gd_x)_3Co$ **6,** 104
**Magnetic susceptibility** of plastically deformed tungsten and molybdenum **6,** 64
– of solid solutions $Gd_xLa_{1-x}B_6$ and $Gd_xEu_{1-x}B_6$ **5,** 169
– of steels Kh18N (10–25) in the range 4·2–300 K **2,** 50
**Magnetic waves,** parametric amplification of – in spin glass by elastic pumping **3,** 24
**Magnetization** during flexural vibrations, and its interrelation with the $\Delta E$ effect. Behaviour of the – **2,** 66
– of monocrystalline terbium in the antiferromagnetic state **2,** 44
– of Permalloy alloys in the presence of impurity atoms. Temperature behaviour of the – **6,** 73

**Magnetoelastic interaction,** Invar anomalies and the properties of ferromagnets with strong – **5,** 73
**Magneto-optical spectra** of ferromagnetic alloys with amorphous and crystalline states **5,** 91
**Magnetoresistance** and the magnetic properties of $MnB_2$ **6,** 89
– of Dy–Sm alloys **6,** 58
**Magnon spectrum** and magnetoacoustic resistance in conductive ferromagnets **1,** 15
**Magnetoacoustic resonance** in conductive ferromagnets. The magnon spectrum and – **1,** 15
**Magnetoelastic waves,** surface and volume – in perpendicularly magnetized ferromagnetic films **6,** 21
**Magnets,** coercive force and phase composition of sintered – of $Sm_2Co_7$ **5,** 194
**Martensite,** influence of deformation temperature on the crystal structure of – **2,** 100
– , structure and hardness of the – in Fe–Zn alloys **2,** 166
**Martensitic transformation** in an iron–nickel–molybdenum alloy with isothermal transformation kinetics. Influence of annealing on the austenite structure and – **4,** 86
– in Fe–Ni alloys. Influence of heat and radiation treatment of austenite on the – **3,** 100
**Martensitic transformations,** crystallography of dislocation inheritance during the – which are described by non-uniform lattice deformation **4,** 15
**Mechanical properties** of dilute nickel solid solutions **1,** 133
– of palladium. Influence of solute hydrogen on the – **4,** 173
**Melting,** concerning the discontinuity of hydrogen solubility in metals during – **2,** 197
**Metal,** contribution of plane defects to the resistivity of a – **1,** 22
– , influence of positron– and electron–phonon interaction on positron trapping by the defects of a – **6,** 16
– irradiated with heavy ions. Influence of the concentration of the pre-injected helium and the temperature of that operation on the concentration of voids in a – **3,** 175
– , polar states and the free electron gas of a – **5,** 22
**Metal films,** the transverse electric quantum wave spectrum in thin – **5,** 57
**Metallic system,** investigation of the structure and thermodynamic parameters of a model – **1,** 7
**Metals** and alloys with an f.c.c. lattice. Continuous approximation of the theory of interstitial diffusion in – **3,** 34
– , concerning the discontinuity of hydrogen solubility in – during melting **2,** 197
– , influence of a non-uniform electron density profile on the plasmon frequency in one-dimensional – **2,** 194
– , investigation of the influence of temperature on the X-ray emission *L*-spectra of some transition 4*d* – **4,** 51
– , mechanism of vacancy loop formation in irradiated – **3,** 160
– , Rayleigh wave investigation of the dislocation anharmonism of plasically deformed – **1,** 155
– , relation between the structure parameters and critical brittle point of polycrystalline – with a b.c.c. lattice **2,** 79
– , statistical orientational model of textured specimens of – with uniaxial symmetry **4,** 104
**Microstresses,** internal, and the local distribution of hydrogen in the structure of a quenched steel **1,** 101

**Microstructure,** influence of phosphorus grain boundary segregations and – on the brittle failure of steel 35G2 after quenching and medium annealing **4,** 123
– of steel OKh16N15M3B after creep testing in reactor BR-10. Electron microscopic analysis of the – **6,** 154
**Microvoids** formed during creep. Peculiarities of the annealing of – **2,** 105
**Model of perfect solutions,** the possibilities of using the – for calculating the equilibrium composition and solubility of complex carbonitrides in steel **2,** 177
**Molybdenum,** diffuse X-ray scattering by neutron irradiated – **6,** 113
– , magnetic susceptibility of plastically deformed tungsten and – **6,** 64
**Molybdenum single crystals** tested in tension along the [001] axis. Crystallographic features of the rupture of – **1,** 163
**Motion** of a grain boundary, dependence of the rate of non-activated – on its orientation **5,** 102

**Neutron diffraction** investigation of the distribution of cobalt and nickel atoms over the crystal lattice sites in compounds $Y(Co_{1-x}Ni_x)_5$ and $La(Co_{1-x}Ni_x)_5$ **3,** 120
**Neutron irradiated molybdenum,** diffuse X-ray scattering by – **6,** 133
**Neutron scattering,** low-temperature critical – in iron–nickel and nickel–manganese alloys **2,** 190
**Nickel,** diffusion, solubility and residual resistivity of sulphur in – **2,** 113
– , dynamics of the variation of dislocation density during creep of – **3,** 180
– , influence of anisotropy of the crystal potential on the band structure of titanium and – **5,** 184
– , neutron diffraction investigation of the distribution of cobalt and – atoms over the crystal lattice sites in compounds $Y(Co_{1-x}Ni_x)_5$ and $La(Co_{1-x}Ni_x)_5$ **3,** 120
– solid solutions. Mechanical properties of dilute – **1,** 133
**Niobium films,** the epitaxy, structure and superconductive properties of thin – on a (001) surface of fluorophlogopite **4,** 111
**Niobium single crystals,** investigation of oxygen distribution in – by the method of fast-neutron activity **3,** 130
**Non-stoichiometry,** influence of – on the magnetic properties of $Fe_{1-\delta}Sb$ **3,** 72
**Nuclear gamma resonance** study of the tempering transformations of steel **3,** 173
**Nuclear magnetic resonance** and susceptibility of $V_2$(Hf, Zr) compounds. Density of electronic states **3,** 91
– in alloys $V_{2-x}Nb_xHf$ **6,** 94
**Nucleation** of ferrite grains during polymorphic transformation **1,** 105
**Nucleation conditions,** role of, in the formation of an oxide phase internal oxidation of molybdenum alloys **4,** 96

**One-dimensional flow** of configurations of a domain wall moving in a random field of point defects. Description of – **2,** 1
**Optical properties** of alloy $V_3Si$. Investigation of the – **6,** 167
**Order,** influence of short-range – on the heat of formation of binary alloys **4,** 185
**Ordered alloys** with a periodic antiphase domain structure. Study of decomposition in – **6,** 123

**Ordered regions** near macroscopic defects in crystals with percolation second-order phase transitions 6, 7
**Ordering** in alloy Co–Pt and the influence of magnetic annealing. Structural features of the initial stages of – 4, 140
– – in vanadium carbonitrides 1, 181
– – of iron atoms in Fe–Mn–Al alloys isostructural with $\beta$-Mn 6, 177
**Oscillation phase** of a ferromagnetic specimen. Instantaneous internal friction as a function of the – 2, 59
**Oxidation** of molybdenum alloys. Role of nucleation conditions in the formation of an oxide phase internal – 4, 96
**Oxygen distribution,** investigation of, in niobium single crystals by the method of fast-neutron activity 3, 130

**Palladium,** influence of solute hydrogen on the mechanical properties of – 4, 173
**Paramagnetic excitation,** on the, of acoustic waves in the presence of electron currents 4, 8
**Pearlite,** on the orientation of ferrite in – relative to austenite 4, 190
**Percolation,** ordered regions near macroscopic defects in crystals with – second-order phase transitions 6, 7
**Permalloy** – Me (Cu, Al), magnetic anisotropy in two-layer films of – 3, 41
**Permalloy alloys,** temperature behaviour of the magnetization of – in the presence of impurity atoms 6, 73
**Perminvars,** peculiar features of the magnetic properties of Fe–Co–Ni – in the magnetic anisotropy range 5, 78
**$\gamma'$ phase,** concerning the influence of the – on the temperature dependence of the work of rupture of heat-resistant alloy KhN35VTYu 4, 179
**Phase equilibria** and the superconductive properties of niobium–tin–copper alloys 1, 170
**Phase structure** on quenched and aged copper–tin and copper–tin–aluminium alloys 1, 174
**Phase transformations** during high-temperature austenitization and the decomposition of the solid solution in Fe–Cr–Co–Mo maraging alloys 3, 137
– – , high pressure, in thallium 2, 196
– – in Fe–Cr–Mn steels. Investigation of – 1, 178
– – in iron and Fe–Cr alloys. X-ray diffraction investigation of – 1, 82
– – , influence of, on secondary ion-ion emission in iron–nitrogen alloys 2, 173
**Phase transitions** and magnetic hysteresis in the rare-earth intermetallic compounds $(Tb_{1-x}Gd_x)_3Co$. Magnetic properties, – 6, 104
– – in ferroelectric antiferromagnets 6, 150
– – , ordered regions near macroscopic defects in crystals with percolation second-order – 6, 7
**Phase $V_3Ga$** in composite V/Cu–Ga. On the formation mechanism of the – 5, 122
**Phases,** concerning the, in the system samarium–copper 1, 185
**Phosphorus grain boundary** segregations and microstructure on the brittle failure of steel 35G2 after quenching and medium annealing. Influence of – 4, 123
**Pinning,** highly localized centres of – . Influence of the form of the random potential of a domain wall of magnetic hysteresis. I. – 3, 1
– – by defects with a finite radius of interaction. Influence of the form of random potential of a domain wall on the magnetic hysteresis. II. – 5, 43

**Plane defects,** contribution of, to the resistivity of a metal 1, 22
**Plasmon frequency** in one-dimensional metals. Influence of a non-uniform electron density profile on the – 2, 194
**Plastic deformation,** feature of the influence of ageing and – on the structure of an Al–Zn–Mg alloy 4, 159
**Plastic loosening of a metal** and the healing of strain-induced defects during annealing. Investigation of the – 2, 143
**Plates,** internal magnetic domains, not emerging to the surface, in unevenly thick magnetically uniaxial – 6, 37
**Point traps** in a diffusion zone 2, 183
**Polar states** and the free electron gas of a metal 5, 22
**Polar model** of a crystal. Energy sub-bands in the – 4, 1
**Polygonization** and recrystallization of deformed tungsten. Influence of the structure of surface layers on the – 5, 117
**Positron**– and electron–phonon interaction on positron trapping by the defects of a metal. Influence of – 6, 16
**Precipitation,** relation between the, of secondary phases and the deformation and rupture of heat-resistant steels during creep 1, 74
**Properties,** elastic, in iron–chromium–cobalt alloys. Anisotropy of the – 5, 189
– , electrical and thermoelectrical, of binary metallic alloys. On the – 4, 193
– , electronic, of metastable $\beta$ gallium 2, 72
– , high-frequency, of weak ferromagnets and antiferromagnets. Some peculiarities of the – 1, 193
– , low-temperature elastic, of solid solutions $V_3Si_{1-x}Ge_x$ 2, 138
– , magnetic, of alloys with a critical concentration and Invar anomalies 2, 32
– , magnetic, of the system of dispersed ferromagnetic particles in Cu–Ni–Co alloys 2, 187
– , mechanical, of alloy N15Kh5G3T3 with metastable autenite. Influence of ageing and plastic deformation on the structure and – 2, 129
– , static and dynamic, of the domain walls of bubble plates inhomogeneous in depth 3, 59
– , superconductive, of niobium–tin–copper alloys. Phase equilibria and the – 1, 170
– , superconductive, of thin niobium films on a (001) surface of fluorophlogopite. The epitaxy, structure and – 4, 111
**Pseudopotential approximation,** and its application to a study of alloys Ni–Pt, Ni–Fe and Al–Zn. Theory of the calculation of short-range order parameters in any coordination sphere in the – 1, 40
**Pumping,** paramagnetic amplification of magnetic waves in spin glass by elastic – 3, 24

**Quenched state,** influence of austenite stability on the impact toughness of some austenitic steel. I. The – 4, 152
**Quenching** and medium tempering. Influence of phosphorus grain boundary segregations and the microstructure on the brittle failure of steel 35G2 after – 4, 123

**Radiation treatment** of austenite on the martensitic transformation in Fe–Ni alloys. Influence of heat and – 3, 100

**Random potential** of a domain wall on magnetic hysteresis. Influence of the form of the – . I. Highly localized centres of pinning 3, 1
– of a domain wall on magnetic hysteresis. Influence of the form of the – . II. Pinning by defects with a finite radius of interaction 5, 43
**Rayleigh wave investigation** of the dislocation anharmonism of plastically deformed metals 1, 155
**Recrystallization** and grain growth in nickel alloys 4, 145
– of deformed tungsten. Influence of the structure of surface layers in the polygonization and – 5, 117
– , secondary, in iron–nickel alloys. Peculiarities of – 2, 86
**Recrystallization processes,** influence of, on the behaviour of dispersed inclusions in alloy Fe–3% Si 3, 125
**Remagnetization** of magnetically uniaxial high-anisotropy ferromagnets. Domain boundary lime lag during the – 5, 191
**Resistance** of the friction surface of austenitic steels to rupture under conditions of wear involving multiple strains. Influence of the martensitic $\gamma \rightarrow \alpha$ transformation on the strengthening kinetics and – 1, 94
– to the motion of edge superdislocations. Temperature dependence of – 4, 167
**Resistivity** of a metal. Contribution of plane defects to the – 1, 22
– of sulphur in nickel. Diffusion, solubility and residual – 2, 113
**Resonance fields** of multi- and unilayer magnetic films 1, 190
**Resonance properties** of thin magnetic films where there as a lattice of bubbled omains 1, 187
**Rhenium** electro-depisited from fused salts. ($\bar{1}01$ *l*) texture of – 6, 163
**Rupture** of heat-resistant alloy KhN35VTYu. Concerning the influence of the $\gamma'$ phase on the temperature dependence of the work of – 4, 179
– of heat-resistant steels during creep. Relation between the precipitation of secondary phases anf the deformation and – 1, 74
– of molybdenum single crystals tested in tension along the [001] axis. Crystallographic features of the – 1, 163
– of steel Kh18N10T during low-cycle fatigue testing in hydrogen atmosphere. Peculiar features in the – 3, 191
– under conditions of wear involving multiple strains. Influence of the martensitic $\gamma \rightarrow \alpha$ transformation on the strengthening kinetics and resistivity of the friction surface of austenitic steels to – 1, 94

**Salts,** ($\bar{1}01$ *l*) texture of rhenium electro-deposited from fused – 6, 163
**Samarium–copper,** concerning the phases in the system – 1, 185
**Shock wave,** twinning in iron experiencing a plane – 6, 171
**Short-range order** in alloys $Pd_{1-x}W_x$ 3, 184
– , influence of, on the ordering of alloy A–B–(C) 5, 85
**Short-range order parameters** in any coordination sphere in the pseudopotential approximation, and its application to a study of alloys Ni–Pt, Ni–Fe and Al–Zn. Theory of the calculation of – 1, 40
**Silicon,** influence of, on diffusion in nickel–aluminium alloys 5, 138
**Silicon iron,** influence of type of deformation and of dislocation structure of – in the range 20–500°C 6, 134

**Single crystal** with narrow domain boundaries. Coercive force of a – **1,** 64
**Single crystals,** controlling the composition of bismuth-based – by the method of charge transfer **2,** 181
– of alloy KhN77TYuR. Influence of high-temperature thermomechanical treatment on the load-elongation curves of – **2,** 153
– of Fe–3% Si at high maximum levels of induction. Electromagnetic losses and the dynamic behaviour of the domain structure of – **4,** 76
**Softening** of lead in the superconductive state. Influence of the size factor on the – **5,** 143
**Solid solutions** $Gd_xLa_{1-x}B_6$ and $Gd_xEu_{1-x}B_6$. Magnetic susceptibility of – **5,** 169
– $V_3Si_{1-x}Ge_x$, low-temperature elastic properties of – **2,** 138
– of system $Er_xA_{1-x}Fe_2$(A – Sc, Y, Lu). Some of the magnetic properties of – **3,** 189
**Solubility,** diffusion, and residual resistivity of sulphur in nickel **2,** 113
**Solutions,** interstitial, static displacement and deformation interaction of atoms in – **2,** 160
**Spin glass,** parametric amplification of magnetic waves in – by elastic pumping **3,** 24
**Split configuration,** dynamics of a b.c.c. lattice containing an interstitial atom in a – **5,** 38
**Steel,** austenitic, influence of austenite stability on the impact toughness of some – . I. The quenched state **4,** 152
– , engineering, prestressed in tension. Influence of compression on the structural changes of low- and high-tempered – **3,** 109
– 33G2, influence of phosphorus grain boundary segregations and the macrostructure on the brittle failure of – after quenching and medium tempering **4,** 123
– Kh18N10T, peculiar features in the rupture of – during low-cycle fatigue testing in hydrogen atmosphere **3,** 191
– N12K7M5TYu, influence of the high-temperature deformation of austenite on the structure and ageing kinetics of maraging – **5,** 129
– OKh16N15M3B, electron microscopic analysis of the microstructure of – after creep testing in reactor BR-10 **6,** 154
– , nuclear gamma resonance study of the tempering transformations of – **3,** 173
– , patented, influence of tempering on the structure and properties of – **1,** 115
– , quenched, internal microstresses and the local distribution of hydrogen in the structure of a – **1,** 101
– , suppression of the bainite trnasformation in – **3,** 197
– , the possibilities of using the model of perfect solutions for calculating the equilibirum composition and solubility of complex carbonitrides in – **2,** 177
**Steels,** austenitic, influence of the martensitic $\gamma \rightarrow \alpha$ transformation on the strengthening kinetics and resistance of the friction surface of – to rupture under conditions of wear involving multiple strains **1,** 94
– , Fe–Cr–Mn, investigation of phase transformations in – **1,** 178
– , heat-resistant, relation between the precipitation of secondary phases and the deformation and rupture of – during creep **1,** 74
– Kh18N (10–25), magnetic susceptibility of – in the range 4·2–300 K **2,** 50
– , quenched carbon, on recovery of the austenite grain during rapid heating of – **3,** 200
**Strain-induced defects** during annealing. Investigation of the plastic loosening of a metal and the healing of – **2,** 143
**Strengthening,** recovery and structural changes during creep of alloys Cu + 10 at. % Ni **5,** 156
**Stress,** formation of a coherent phase on – raisers. The influence of the dissociation of

dislocations, presence of dislocation assemblages and differences in the elastic moduli of the phases 1, 87
**Stresses** in components during martensitic transformation 6, 156
– , the development of a substructure and internal – during creep 6, 129
**Structural changes** during creep of alloys Cu+10 at.% Ni. Strengthening, recovery and – 5, 156
– during the heating of a complex titanium alloy 6, 159
– of low- and high-tempered engineering steel prestressed in tension. Influence of compression on the – 3, 109
**Structural features** and magnetic properties of Fe–Ni–Cr Elinvars 1, 110
– of the initial stages of ordering in alloy Co–Pt and the influence of magnetic annealing 4, 140
**Structure** and ageing kinetics of maraging steel N12K7M5TYu. Influence of the high-temperature deformation of austenite on the – 5, 129
– and hardness of the martensite in Fe–Zn alloys 2, 166
– and magnetic phase transitions. Constitution of an integral rational basis of invariant for – 2, 10
– and thermodynamic parameters of a model metallic system. Investigation of the – 1, 7
– , crystal, of martensite. Influence of deformation temperature on the – 2, 100
– , crystal and magnetic, of $Fe_{0\cdot5}Co_{0\cdot5-x}Cr_x$ films 6, 68
– , fragmented, dislocation and disclination kinetics and the formation of a – 4, 32
– , variation of dislocation – according to the texture in tungsten deposited from the gas phase 3, 115
– , hyperfine magnetic, of Invar films. Peculiarities of the – 4, 46
– , the epitaxy, – and superconductive properties of thin niobium films on a (001) surface of fluorophlogopite 4, 111
**Structure defects** and electrical properties of monocrystalline films of lead at 4·2 K. Hetero-epitaxial growth, – 5, 108
**Structure parameters,** relation between the – and critical brittle point of polycrystalline metals with a b.c.c. lattice 2, 79
**Substructure** and internal stresses during creep. The development of a – 6, 129
**Sulphur,** diffusion, solubility and residual resistivity of – in nickel 2, 113
**Superconductive state,** influence of the size factor on the softening of lead in the – 5, 143
**Superdislocations,** temperature dependence of resistance to the motion of edge – 4, 167
**Surface,** behaviour of wedge disclination near a – 1, 1
**Surface layers,** influence of the structure of – on the polygonization and recrystallization of deformed tungsten 5, 117
**Surface reactions,** influence of, on the rate of of interaction of hydrogen with aluminium 3, 144

**Temperature,** influence of deformation – on the crystal structure of martensite 2, 100
– , influence of experimental – on the work hardening of mono- and polycrystalline alloy $Ni_3Fe$ 3, 152
**Temperature dependence,** concerning the influence of the phase on the – of the work of rupture of heat-resistant alloy KhN35VTYu 4, 179
– of resistance to the motion of edge superdislocations 4, 167
**Temperature stability** of amorphous Gd–Co films. Investigation of the – 6, 119

**Tempering,** influence of, on the structure and properties of patented steel **1,** 115
– , influence of phosphorus grain boundary segregations and the microstructure on the brittle failure of steel 35G2 after quenching and medium – **4,** 123
– , isothermal, of a quenched alloy NiPt. Ordering kinetics and mechanism of domain structure formation during – **2,** 121
**Tension** along the [001] axis. Crystallographic features of the rupture of molybdenum single crystals tested in – **1,** 163
**Terbium,** monocrystalline, magnetization of – in the antiferromagnetic state **2,** 44
**Texture** in tungsten deposited from the gas phase. Variations of dislocation structure according to the – **3,** 115
– , $(\bar{1}01\ l)$, of rhenium electro-deposited from fused salts **6,** 163
**Textured specimens** of metals with uniaxial symmetry. Statistical orientational model of – **4,** 104
**Thallium,** high-pressure phase transformations in – **2,** 196
**Thermo e.m.f.** of alloys PdFe, PdCo and PdNi **6,** 50
**Thermodynamic parameters** of a model metallic system. Investigation of the structure and – **1,** 7
**Thermomechanical treatment** of the load–elongation curves of single crystals of alloy Kh77TYuR. Influence of high-temperature – **2,** 153
**Titanium,** influence of anistotropy of the crystal potential of the band structure of – and nickel **5,** 184
**Titanium monoxide,** the Fermi surface of – **1,** 53
**Titanium nickelide,** investigation of internal friction in – **5,** 111
– , martensite–martensite transformation in – **4,** 118
**Transformation,** $\gamma \rightarrow \alpha$, appearance of electromotive force in Fe–Ni alloys during the – **5,** 172
– , $\alpha \rightleftarrows \gamma$, influence of the direction of – on creep of polycrystalline iron **5,** 162
– , martensite–martensite, in titanium nickelide **4,** 118
– , martensitic, stresses in compounds during – **6,** 156
– , martensitic $\gamma \rightarrow \alpha$, influence of the – on the strengthening kinetics and resistance of the friction surface of austenitic steels to rupture under conditions of wear involving multiple strains **1,** 94
– , polymorphic, nucleation of ferrite grains during – **1,** 105
**Transformations,** structure, in platinium–iridium alloys. Field ion microscopy of – **1,** 121
– , tempering, of steel. Nuclear gamma resonance study of the – **3,** 173
**Transition,** on the, from aniferromagnetism to ferromagnetism in ordered Pt–Fe alloys **3,** 76
**Transition point,** discontinuity of the limiting velocities at the Bloch–Neel domain wall – **3,** 194
**Transitions,** magnetic phase, construction of an integral rational basis of invariants for structure and – **2,** 10
**Transverse electric quantum wave** spectrum in thin metal films **5,** 57
**Trapping,** influence of positron– and electron–phonon interaction on positron – by the defects of a metal **6,** 16
**Tungsten,** influence of the structure of surface layers on the polygonization and recrystallization of deformed – **5,** 117
– , magnetic susceptibility of plastically deformed – and molybdenum **6,** 64
– , variations of dislocation structure according to the texture in – deposited from the gas phase **3,** 115

**Twinning** in iron experiencing a plane shock wave **6,** 171
– , mechanical, of the h.c.p. $\varepsilon$ phase of Fe–Mn alloys during plastic deformation **2,** 148
**Twins,** wedge-shaped, in bismuth crystals held under load for a long time. Variations of – **2,** 201

**Vanadium carbonitrides,** concerning ordering in – **1,** 181
**Vanadium monoxide,** Fermi surface of – **3,** 169
**Vibrations,** flexural, behaviour of the magnetization during – , and its interrelation with the $\Delta E$ effect **2,** 66
**Vacancy loop formation** in irradiated metals. Mechanism of – **3,** 160

**Wear,** influence of the martensitic $\gamma \rightarrow \alpha$ transformation on the strengthening kinetics and resistance of the friction surface of austenitic steels to rupture under conditions of – involving multiple stages **1,** 94
**Wedge disclination** near a surface. Behaviour of – **1,** 1
**Work hardening** of mono- and polycrystalline alloy $Ni_3Fe$. Influence of experimental temperature on the – **3,** 152

**X-ray diffraction** investigation of phase transformations in iron and Fe–Cr alloys **1,** 82
**X-ray emission *L*-spectra** of some transition 4*d* metals. Investigation of the influence of temperature on the – **4,** 51
**X-ray scattering** by deformed crystals **3,** 11
– , diffuse, by neutron irradiated molybdenum **6,** 113

**Yield point** in some f.c.c. metals at 4·2 K **1,** 141
**Young's modulus** and internal friction in the range 20°C to $T_m$ inclusive. Study of the – **5,** 150
– of cementite. On the – **3,** 177

**Zinc** cooled to low temperatures. Crack formation on the boundary of grains and twins in – **2,** 167
**Zinc single crystals,** contribution of basal dislocations to the residual resistivity of – **3,** 164
**Zirconium,** influence of plastic deformation on the susceptibility of – **2,** 170

# AUTHOR INDEX

*Bold figures indicate the issue*


**Aleksandrovich, S. V.** *See* **Ayvazov, M. I., Aleksandrovich, S. V.** and **Mkrtchyan, V. S.** **5,** 169

**Aliyev, M. I., Dadashev, I. Sh.** and **Safaraliyev, G. I.** Investigation of the kinetic properties of alloys $Ga_{1-x}Mn_xSb$ in the range 80–1000° K **5,** 166

**Andreyev, L. A.** and **Vyatkin, A. F.** Influence of surface reactions on the rate of interaction of hydrogen with aluminium **3,** 144

**Andreyev, Yu. V.** *See* **Chuzhko, R. K., Andreyev, Yu. V., Kleyner, L. M.** and **Khaldeyev, G. V.** **3,** 115

**Andreyeva, A. V.** Symmetry of the coincident site lattices of cubic structures **4,** 24

**Andryushkin, V. I.** and **Korshunskiy, M. I.** (dec.) Investigation of the influence of temperature on the X-ray emission *L*-spectra of some transition 4*d* metals **4,** 51

**Antipov, S. D., Bondar, V. V., Goryunov, G. Ye.** and **Stetsenko, P. N.** Magnetic anomalies of the Invar type in amorphous ferromagnetic alloys $(Fe_{1-x}Ni_x)_{80}P_{20}$ **6,** 173

**Antonets, Ye. P., Stepanov, B. M.** and **Fabrikov, V. A.** On the theory of the stripe domain structure in films with perpendicular anisotropy **3,** 51

**Antonova, T. Ye., Belash, I. T. and Ivakhnenko, S. A.** High-pressure phase transformations in thallium **2,** 105

**Arato, P.** *See* **Spakevics, S.** and **Arato, P.** **2,** 86

**Arbuzov, V. K.** *See* **Korotayev, A. D., Tyumentsev, A. N., Danyushchenkov, I. A., Dizhur, L. M.** and **Arbuzov, V. K.** **4,** 96

**Arbuzov, V. L., Vladimirov, A. B., Danilov, S. Ye., Klotsman, S. M.** and **Trakhtenberg, I. Sh.** Diffusion solubility and residual resistivity of sulphur in nickel **2,** 113

**Ashikhmina, L. A., Berezina, T. G.** and **Shteynberg, M. M.** Peculiarities of the annealing of microvoids formed during creep **2,** 105

**Averin, Yu. I.** *See* **Korshunov, L. G., Bogachev, I. N.** (dec.) **Averin, Yu. I., Chernykh, S. G.** and **Khadyev, M. S.** **1,** 94

**Ayvazov, M. I., Aleksandrovich, S. V.** and **Mkrtchyan, V. S.** Magnetic susceptibility of solid solutions $Gd_xLa_{1-x}B_6$, and $Gd_xEu_{1-x}B_6$ **5,** 169

**Babanova, Ye. N., Klyuyeva, I. B., Chemerinskaya, L. S., Sidorenko, F. A., El'ner, V. Ya.** and **Gel'd, P. V.** Short-range order in alloys $Pd_{1-x}W_x$ **3,** 184

**Babyuk, T. I.** X-ray diffraction investigation of phase transformations in iron and Fe–Cr alloys **1,** 82

**Bakhteyeva, N. D.** *See* **Levit, V. I., Bakhteyeva, N. D.** and **Smirnov, L. V.** **2,** 153

**Balandin, B. N., Sokolov, B. K.** and **Gubernatorov, V. V.** Influence of recrystallization processes on the behaviour of dispersed inclusions in alloy Fe–3% Si **3,** 125

**Balmanukyan, G. Ye.** *See* **Pushin, V. G., Romanova, R. R., Smirnov, M. A., Rodionov, D. P., Smirnov, L. V.** and **Balmanukyan, G. Ye.** **5,** 129

**Barabanova, Ye. A.** *See* **Deryagin, A. V.** and **Barabanova, Ye. A.** 5, 194
**Baraboshkin, A. N.** *See* **Martem'yanova, Z. S., Vinogradov-Zhabrov, O. N., Baraboshkin, A. N.** and **Zyryanov, V. G.** 6, 163
**Barannikova, G. A.** and **Samoylenko, Z. A.** Paculiar features in the rupture of steel Kh18N10T during low-cycle fatigue testing in hydrogen atmosphere 3, 191
**Baranov, N. V.** *See* **Deryagin, A. V.** and **Baranov, N. V.** 6, 104
**Baranov, Yu. V., Kostyukova, Ye. P.** and **Zamorov, Yu. V.** Influence of the structure of surface layers on the polygonization and recrystallization of deformed tungsten 5, 117
**Baranovskiy, A. N., Romanova, R. R., Pushin, V. G.** and **Buynov, N. N.** Feature of the influence of ageing and plastic deformation on the structure of an Al–Zn–Mg alloy 4, 159
**Baranovskiy, A. N.** *See* **Pushin, V. G., Romanova, R. R., Uvarov, A. I.** and **Baranovskiy, A. N.** 2, 129
**Bashmakov, V. I.** and **Chikova, T. S.** Variations of wedge-shaped twins in bismuth crystals held under load for a long time 2, 201
**Baumgarten, M. I.** *See* **Popov, I. Ye., Kobytev, V. S., Starenchenko, V. A.** and **Baumgarten, M. I.** 4, 167
**Belash, I. T.** *See* **Antonova, T. Ye., Belash, I. T.** and **Ivakhnenko, S. A.** 2, 196
**Belova, L. I.** *See* **Kirshenina, I. I., Tret'yakova, B. N., Belova, L. I.** and **Tokmanova, V. A.** 2, 39
**Belyatskaya, I. S.** and **Serebryakov, V. G.** Anisotropy of the elastic properties in iron–chromium–cobalt alloys 5, 189
**Berezina, A. L.** and **Chuistov, K. V.** Investigation of kinetic features of the decomposition of alloy Co–9 at.% Ti 1, 128
**Berezina, T. G.** and **Yudina, A. G.** Relation between the precipitation of secondary phases and the deformation and rupture of heat-resistant steel during creep 1, 74
**Berezina, T. G.** *See* **Ashikhmina, L. A., Berezina, T. G.** and **Shteynberg, M. M.** 2, 105
**Berseneva, F. N.** *See* **Timofeyev, N. I., Gromov, V. I., Berseneva, F. N.** and **Gol'tsov, V. A.** 4, 173
**Bessergenov, V. G., Boyarskiy, L. A., Lukashchuk, S. N.** and **Slutskiy, M. I.** Magnetization of monocrystalline terbium in the antiferromagnetic state 2, 44
**Birfel'd, A. A.** *See* **Drapkin, B. M., Birfel'd, A. A., Kononenko, V. K.** and **Kalyukin, Yu. N.** 5, 150
**Bochkarev, V. F.** *See* **Rusov, G. I., Zherikhov, S. P., Bochkarev, V. F.** and **Torba, G. F.** 6, 119
**Bogachev, I. N.** (dec.) *See* **Korshunov, L. G., Bogachev, I. N.** (dec.) **Averin, Yu. I., Chernykn, S. G.** and **Knadyev, M. S.** 1, 94
**Bogatov, A. A.** *See* **Smirnov, S. V., Bogatov, A. A.** and **Kolmogorov, V. L.** 2, 143
**Bogdanov, V. I.** and **Fuks, D. L.** Static displacement and deformation interaction of atoms in interstitial solutions 2, 160
**Boletskaya, T. K., Yegoruskhin, V. Ye.** and **Fadin, V. P.** Influence of anisotropy of the crystal potential of the band structure of titanium and nickel 5, 184
**Bol'shutkin, D. N., Desnenko, V. A.** and **Il'yichev, V, Ya.** Magnetic susceptibility of steels Kh18N (10–15) in the range 4·2–300 K 2, 50
**Boltachev, V. D.** *See* **Filippov, B. N., Boltachev, V. D.** and **Lebedev, Yu. G.** 6, 21
**Bondar V. V.** *See* **Antipov, S. D., Bondar, V. V., Goryunov, G. Ye.** and **Stetsenko, P. N.** 6, 173
**Borodin, I. N.** *See* **Korolev, Yu. V.** and **Borodin, I. N.** 1, 187
**Borodkina, M. M.** *See* **Petrenko, E. D., Puzey, I. M., Borodkina, M. M., Savvin, A. N.** and **Orekhova, T. S.** 5, 78
**Boyarskiy, L. A.** *See* **Bessergenov, V. G., Boyarskiy, L. A., Lukashchuk, S. N.** and **Slutskiy, M. I.** 2, 44

**Boyko, Yu. F., Navrotskiy, I. V.** and **Podgayskiy, M. S.** Nucleation of ferrite grains during polymorphic transformation **1,** 105
**Bryanin, G. E. Driban, V. A.** and **Likhachev, V. A.** Crystallography of dislocation inheritance during the martensitic transformations which are described by non-uniform lattice deformation **4,** 15
**Bulakh, I. Ye.** *See* **Verkhovskiy, S. V., Kozhanov, V. N., Stepanov, A. P., Shevchenko, A. D., Pan, V. M.** and **Bulakh, I. Ye.** **3,** 91
**Buldovskiy, V. A.** *See* **Stefanovich, A. V.** and **Buldovskiy, V. A.** **6,** 150
**Burkhanov, A. M.** *See* **Vlasov, K. B., Rozenberg, Ye. A.** and **Burkhanov, A. M.** **1,** 29
**Burkova, L. T., Motulevich, G. P.** and **Shubin, A. A.** Investigation of the optical properties of alloy $V_3Si$ **6,** 167
**Buynov, N. N.** *See* **Baranovskiy, A. N., Romanova, R. R., Pushin, V. G.** and **Buynov, N. N.** **4,** 159

**Chalabyan, M. A.** *See* **Pogosyan, Ya. M.** and **Chalabyan, M. A.** **1,** 69
**Chebotkevich, L. A., Pashchenko, T. N.** and **Veter, V. V.** Crystal and magnetic structure of $Fe_{0.5}Co_{0.5-x}Cr_x$ films **6,** 68
**Chechernikov, V. I.** *See* **Mirvat Abdul Aal** and **Chechernikov, V. I.** **3,** 189
**Chekanov, M. I.** *See* **Geguzin, Ya. Ye., Kibets, V. I.** and **Chekanov, M. I.** **5,** 162
**Chemerinskaya, L. S.** *See* **Babanova, Ye. N., Klyuyeva, I. B., Chemerinskaya, L. S., Sidorenko, F. A., El'ner, V. Ya.** and **Gel'd, P. V.** **3,** 184
**Cheremnykh, V. G.** *See* **Gol'dshteyn, M. I., Popov, V. V.** and **Cheremnykh, V. G.** **2,** 177
**Chernykh, S. G.** *See* **Korshunov, L. G., Bogachev, I. N.** (dec.), **Averin, Yu. I., Chernykh, S. G.** and **Khadyev, M. S.** **1,** 94
**Chikova, T. S.** *See* **Bashmakov, V. I.** and **Chikova, T. S.** **2,** 201
**Chirkina, L. A.** *See* **Grindin, I. A., Okovit, V. S.** and **Chirkina, L. A.** **6,** 134
**Chuistov, K. V.** *See* **Berezina, A. L.** and **Chuistov, K. V.** **1,** 128
**Chulkov, Ye. V., Psakh'ye, S. G., Zhorovkov, M. F.** and **Panin, V. Ye.** Pseudopotential calculation of the lattice dynamics of indium **6,** 1
**Chuyev, V. V.** *See* **Pirogov, A. N., Yermolenko, A. S., Dvinyaninov, V. N., Chuyev, V. V.** and **Kelarev, V. V.** **3,** 120
**Chuzhko, R. K., Andreyev, Ye. V., Kleyner, L. M.** and **Khaldeyev, G. V.** Variations of dislocation structure according to the texture in tungsten deposited from the gas phase **3,** 115

**Dadashev, I. Sh.** *See* **Aliyev, M. I., Dadashev, I. Sh.** and **Safaraliyev, G. I.** **5,** 166
**Danilov, S. Ye.** *See* **Arbuzov, V. L., Vladimirov, A. B., Danilov, S. Ye., Klotsman, S. M.** and **Trakhtenberg, I. Sh.** **2,** 113
**Danyushchenkov, I. A.** *See* **Korotayev, A. D., Tyumentsev, A. N., Danyushchenkov, I. A., Dizhur, L. M.** and **Arbuzov, V. K.** **4,** 96
**Datsko, O. I., Marinin, G. A.** and **Oberemchenko, I. A.** Grain boundary internal friction in recrystallizing aluminium **2,** 203
**Demidenko, V. S.** and **Skripko, Z. A.** Model of the density of electronic states and calculation of the magnetic parameters of iron–nickel alloys with chromium **5,** 31
**Denisov, Yu. P.** *See* **Sakhanskaya, I. N., Teytel', Ye. I., Timofeyev, N. I., Denisov, Yu. I.** and **Syutkin, P. N.** (dec.) **2,** 121
**Deryabin, A. V.** Magnetic properties of iron–nickel–chromium alloys in weak magnetic fields **3,** 203

**Deryagin, A. I.** and **Nasyrov, R. Sh.** Magnetic susceptibility of plastically deformed tungsten and molybdenum **6,** 64
**Deryagin, A. V.** and **Baranov, N. V.** Magnetic properties, phase transitions and magnetic hysteresis in the rare-earth intermetallic compounds $(Tb_{1-x}Gd_x)_3Co$ **6,** 104
**Deryagin, A. V.** and **Barabanova, Ye. A.** Coercive force and phase composition of sintered magnets of $Sm_2Co_7$ **5,** 194
**Deryavko, I. I.** *See* **Savin, V. I., Markin, V. Ya., Deryavko, I. I.** and **Yakutovich, M. V.** **2,** 170
**Desnenko, V. A.** *See* **Bol'shutkin, D. N., Desnenko, V. A.** and **Il'yichev, V. Ya.** **2,** 50
**Dizhur, L. M.** *See* **Korotayev, A. D., Tyumentsev, A. N., Danyushchenko, I. A., Dizhur, L. M.** and **Arbuzov, V. K.** **4,** 96
**Dmitriyev, V. D.** *See* **Porollo, S. I. Shcherbak, V. I., Dmitriyev, V. D., Kruglov, A. S.** and **Pevchikh, Yu. M.** **6,** 154
**Dogadudushkin, V. Yu.** *See* **Georgiyev, M. M., Dogadushkin, V. Yu.** and **Mezhova, N. Ya.** **1,** 145
**Dolgikh, Ye. V.** *See* **Novikov, V. F.** and **Dolgikh, Ye. V.** **2,** 55
**Dovgiy, V. T.** and **Shapovalov, V. A.** Formation of lattices of cylindrical magnetic domains from stripe domains **4,** 188
**Drapkin, B. M., Birfel'd, A. A., Kononenko, V. K.** and **Kalyukin, Yu. N.** Study of the Young's modulus and internal friction in the range 20° C to $T_m$ inclusive **5,** 150
**Drapkin, B. M.** and **Fokin, B. V.** On the Young's modulus of cementite **3,** 177
**Driban, V. A.** *See* **Bryanin, G. E., Driban, V. A.** and **Likhachev, V. A.** **4,** 15
**Dubrovskiy, I. M.** and **Krivoglaz, M. A.** Ordered regions near macroscopic defects in crystals with percolation second-order phase transitions **6,** 7
**Dudchenko, G. N.** *See* **Zakharova, M. I.** and **Dudchenko, G. N.** **1,** 174
**Dunayev, F. N.** *See* **Fatayev, I. G., Novikov, V. F.** and **Dunayev, F. N.** **2,** 66
**Dvinyaninov, V. N.** *See* **Pirogov, A. N., Yermolenko, A. S., Dvinyaninov, V. N., Chuyev, V. V.** and **Kelarev, V. V.** **3,** 120
**D'yachuk, P. P.** *See* **Ivanov, A. A.** and **D'yachuk, P. P.** **2,** 1
**D'yachuk, P. P.** *See* **Ivanov, A. A.** and **Dyachuk, P. P.** **3,** 1
**Dyakin, V. V.** *See* **Kogan, Ye. M.** and **Dyakin, V. V.** **4,** 196
**Dyakin, V. V.** *See* **Korolev, A. V.** and **Dyakin, V. V.** **1,** 64

**El'ner, V. Ya.** *See* **Babanova, Ye. N., Klyuyeva, I. B., Chemerinskaya, L. S., Sidorenko, F. A., El'ner, V. Ya.** and **Gel'd, P. V.** **3,** 184
**Emiraliyev, A.** *See* **Fayzullayev, F., Karimov, I., Kalanov, M., Emirallyev, A.** and **Polishchuk, V. S.** **1,** 181
**Emirbekov, E. T.** *See* **Shumilov, D. V., Kleshchev, G. V.** and **Emirbekov, E. T.** **5,** 182
**Entin, R. I.** *See* **Golikov, V. M.** (dec.), **Novikov, B. A., Kogan, L. I.** and **Entin, R. I.** **3,** 197

**Fabrikov, V. A.** *See* **Antonets, Ye. P., Stepanov, B. M.** and **Fabrikov, V. A.** **3,** 51
**Fadin, V. P.** *See* **Boletskaya, T. K., Yegorushkin, V. Ye.** and **Fadin, V. P.** **5,** 184
**Fatayev, I. G., Novikov, V. F.** and **Dunayev, F. N.** Behaviour of the magnetization during flexural vibrations, and its interrelation with the $\Delta E$ effect **2,** 66
**Fayzullayev, F., Krimov, I., Kalanov, M., Emiraliyev, A.** and **Polishchuk, V. S.** Concerning ordering in vanadium carbonitrides **1,** 181
**Fedorenko, A. I.** *See* **Stetsenko, A. N., Golovanov, Ye. A., Kravchenko, V. V.** and **Fedorenko, A. I.** **4,** 111

**Fedorov, G. V.** *See* **Matveyev, V. A., Fedorov, G. V.** and **Volkenshteyn, N. V.** 6, 50
**Fedorov, V. A., Finkel', V. M.** and **Plotnikov, V. P.** Crack formation on the boundaries of grains and twins in zinc cooled to low temperature 2, 167
**Feoktistova, Ye. K.** *See* **Lyasotskiy, I. V., Lyasotskaya, V. S., Krasnoyartseva, L. S.** and **Feoktistova, Ye. K.** 6, 159
**Figurovskaya, Ye. A.** *See* **Zhuravleva, Ye. N., Romanov, Ye. P., Sudareva, S. V., Kovaleva, V. A., Figurovskaya, Ye. A.** and **Nikulin, A. D.** 5, 122
**Filippov, B. N., Boltachev, V. D.** and **Lebedev, Yu. G.** Surface and volume magnetoelastic waves in perpendicularly magnetized ferromagnetic films 6, 21
**Filippov, B. N., Lebedev, Yu. G., Rayevskiy, Ye. I.** and **Tankeyev, A. P.** Internal magnetic domains, not emerging to the surface, in unevenly thick magnetically uniaxial plates 6, 37
**Filippov, B. N., Tankeyev, A. P., Lebedev, Yu. G.** and **Rayevskiy, Ye. I.** Static and dynamic properties of the domain walls of bubble plates inhomogeneous in depth 3, 59
**Filippov, G. A.** and **Sarrak, V. I.** Internal microstresses and the local distribution of hydrogen in the structure of a quenched steel 1, 101
**Filippov, M. A.** *See* **Khadyyev, M. S., Nemirovskiy, Yu. R.** and **Filippov, M. A.** 2, 148
**Finkel', V. M.** *See* **Fedorov, V. A., Finkel', V. M.** and **Plotnikov, V. P.** 2, 167
**Firstov, S. A.** *See* **Grigor'yev, O. N., Luft, A., Perepelkin, A. V., Firstov, S. A.** and **Shatokhin, A. M.** 1, 163
**Fishman, A. Ya.** *See* **Vykhodets, V. B.** and **Fishman, A. Ya.** 2, 197
**Flis, V. S.** *See* **Pan, V. M., Latysheva, V. I., Litvinenko, Ye. N., Flis, V. S.** and **Gorskiy, V. V.** 1, 170
**Flyagin, M. Ya.** *See* **Galperina, T. N., Flyagin, M. Ya., Sidorenko, F. A.** and **Gel'd, P. V.** 3, 72
**Fokin, B. V.** *See* **Drapkin, B. M.** and **Fokin, B. V.** 3, 177
**Frolov, G. I.** *See* **Yerukhimov, M. Sh., Zhigalov, V. S.** and **Frolov, G. I.** 6, 73
**Fuks, D. L.** *See* **Bogdanov, V. I.** and **Fuks, D. L.** 2, 160

**Galkina, O. S.** *See* **Kondoroskiy, Ye. I., Galkina, O. S.** and **Zakharova, I. N.** 1, 58
**Galkina, O. S.** *See* **Kondoroskiy, Ye. I., Il'yina, I. K.** and **Galkina, O. S.** 6, 58
**Galoshina, E. V.** *See* **Verkhovskiy, S. V., Kozhanov, V. N., Stepanov, A. P., Romanov, Ye. P.** and **Galoshina, E. V.** 6, 94
**Gal'perina, T. N., Flyagin, M. Ya., Sidorenko, F. A.** and **Gel'd, P. V.** Influence of nonstoichiometry on the magnetic properties of $Fe_{1+\delta}Sb$ 3, 72
**Gal'tsova, V. I.** *See* **Georgiyeva, I. Ya., Sorokina, N. A.** and **Gal'tsova, V. I.** 1, 178
**Gass, V. G., Glazer, A. A.** and **Shur, Ya. S.** Domain boundary time lag during the remagnetization of magnetically uniaxial high-anisotropy ferromagnets 5, 191
**Geguzin, Ya. Ye.** and **Kaganovskiy, Yu. S.** Point traps in a diffusion zone 2, 183
**Geguzin, Ya. Ye., Kibets, V. I.** and **Chekanov, M. I.** Influence of the direction of $\alpha \rightleftarrows \gamma$ transformation on creep of polycrystalline iron 5, 162
**Gel'd, P. V.** *See* **Babanova, Ye. N., Klyuyeva, I. B., Chemerinskaya, L. S., Sidorenko, F. A., El'ner, V. Ya.** and **Gel'd, P. V.** 3, 184
**Gel'd, P. V.** *See* **Gal'perina, T. N., Flyagin, M. Ya., Sidorenko, F. A.** and **Gel'd, P. V.** 3, 72
**Gel'd, P. V.** *See* **Kuznetsov, Yu. S., Shtol'ts, A. K.** and **Gel'd, P. V.** 2, 138
**Gel'd, P. V.** *See* **Valishev, M. G., Yesin, Yu. O.** and **Gel'd, P. V.** 4, 185
**Georgiyev, M. M., Dogadushkin, V. Yu.** and **Mezhova, N. Ya.** Some peculiarities of the failure of polycrystalline iron in a single operation of loading 1, 145

**Georgiyeva, I. Ya., Sorokina, N. A.** and **Gal'tsova, V. I.** Investigation of phase transformations in Fe–Cr–Mn steels **1,** 178
**Gervas'yev, M. A.** *See* **Kositsyn, S. V., Litvinov, V. S., Sorokin, V. G.** and **Gervas'yev, M. A.** **5,** 138
**Gilyarov, V. I.** Influence of a non-uniform electron density profile on the plasmon frequency in one-dimensional metals **2,** 194
**Gindin, I. A., Okovit, V. S. and Chirkina, L. A.** Influence of type of deformation and of dislocation structure of silicon iron in the range 20–500° C **6,** 134
**Glazer, A. A.** *See* **Gass, V. G., Glazer, A. A.** and **Shur, Ya. S.** **5,** 191
**Glebovskiy, V. G., Kazantsev, A. M., Pronman, I. M.** and **Shipilevskiy, B. M.** Investigation of oxygen distribution in niobium single crystals by the method of fast-neutron activity **3,** 130
**Glotova, L. S., Yakovlev, G. P., Kononova, L. M.** and **Mamayev, S. V.** Instantaneous internal friction as a function of the oscillation phase of a ferromagnetic specimen **2,** 59
**Gol'dshteyn, M. I., Popov, V. V.** and **Cheremnykh, V. G.** The possibilities of using the model of perfect solutions for calculating the equilibrium composition and solubility of complex carbonitrides in steel **2,** 177
**Golikov, V. M.** (dec.), **Novikov, B. A., Kogan, L. I.** and **Entin, R. I.** Suppression of the bainite transformation in steel **3,** 197
**Golovanov, Ye. A.** *See* **Stetsenko, A. N., Golovanov, Ye. A., Kravchenko, V. V.** and **Fedorenko, A. I.** **4,** 111
**Golovinskaya, T. M.** Influence of compression on the structural changes in low- and high-tempered engineering steel prestressed in tension **3,** 109
**Gol'tsov, V. A.** *See* **Timofeyev, N. I., Gromov, V. I., Berseneva, F. N.** and **Gol'tsov, V. A.** **4,** 173
**Golubov, S. I.** and **Konobeyev, Yu. V.** Mechanism of vacancy loop formation in irradiated metals **3,** 160
**Goncharenko, Yu. D.** *See* **Katsnel'son, A. A., Goncharenko, Yu. D., Grabova, R. B., Kosenkov, V. M.** and **Pokrovskiy, A. S.** **6,** 113
**Gorbatenko, N. A.** *See* **Sadovskiy, V. D., Uvarov, A. I., Vasechkina, T. P., Gorbatenko, N. A., Karpov, P. P.** and **Petrakov, Ye. I.** **4,** 152
**Goritskiy, V. M.** Relation between the structure parameters and critical brittle point of polycrystalline metals with a b.c.c. lattice **2,** 79
**Gorovoy, A. M.** *See* **Yakimov, I. I., Gorovoy, A. M.** and **Litvintsev, V. V.** **4,** 46
**Gorskiy, V. V.** *See* **Pan, V. M., Latysheva, V. I., Litvinenko, Ye. N., Flis, V. S.** and **Gorskiy, V. V.** **1,** 170
**Goryunov, G. Ye.** *See* **Antipov, S. D., Bondar, V. V., Goryunov, G. Ye.** and **Stetsenko, P. N.** **6,** 173
**Grabova, R. B.** *See* **Katsnel'son, A. A., Goncharenko, Yu. D., Grabova, R. B., Kosenkov, V. M.** and **Pokrovskiy, A. S.** **6,** 113
**Grabovskiy, V. Ya., Levitin, V. V.** and **Kanyuka, V. I.** Concerning the influence of the $\gamma'$ phase on the temperature dependence of the work of rupture of heat-resistant alloy KhN35VTYu **4,** 179
**Gridnev, V. N., Oshkaderov, S. P.** and **Televich, R. V.** On recovery of the austenite grain during rapid heating of quenched carbon steels **3,** 200
**Gridnev, V. N.** and **Vovk, Ya. N.** Influence of deformation temperature on the crystal structure of martensite **2,** 100
**Gridnev, V. N., Vovk, Ya. N., Oshkaderov, S. P.** and **Televich, R. V.** On the orientation of ferrite in pearlite relative to austenite **4,** 190

**Grigorov, S. N.** *See* **Kosevich, V. M., Lyubchenko, A. P., Grigorov, S. N.** and **Umanskiy, G. P.** 4, 131
**Grigor'yev, O. N., Luft, A., Perepelkin, A. V., Firstov, S. A.** and **Shatokhin, A. M.** Crystallographic features of the rupture of molybdenum single crystals tested in tension along the [001] axis 1, 163
**Gromov, V. I.** *See* **Timofeyev, N. I., Gromov, V. I., Berseneva, F. N.** and **Gol'tsov, V. A.** 4, 173
**Gruzin, P. L.** *See* **Zambrzhitskiy, V. N., Maksimova, O. P., Gruzin, P. L., Rodionov, Yu. L., Isfandiyarov, G. G.** and **Seleznev, V. L.** 3, 100
**Gruzin, P. L.** *See* **Zambrzhitskiy, V. N., Maksimova, O. P., Gruzin, P. L., Rodionov, Yu. L., Utevskiy, L. M., Isfandiyarov, G. G., Pankova, M. N.** and **Seleznev, V. N.** 4, 86
**Gryuznov, V. I.** and **Sagyndykov, A. S.** Mutual diffusion in the system Ti–Ni–Co 5, 178
**Gubernatorov, V. V.** *See* **Balandin, B. N., Sokolov, B. K.** and **Gubernatorov, V. V.** 3, 125
**Guseynov, M. B.** On the theory of weak uniaxial ferromagnets with anisotropy of the easy plane type 5, 53
**Guseynov, N. G.** and **Mamedov, R. A.** Some peculiarities of the high-frequency properties of weak ferromagnets and antiferromagnets 1, 193

**Il'yichev, V. Ya.** *See* **Bol'shutkin, D. N., Desnenko, V. A.** and **Il'yichev, V. Ya.** 2, 50
**Il'yina, I. K.** *See* **Kondorskiy, Ye. I., Il'yina, I. K.** and **Galkina, O. S.** 6, 58
**Ilyushin, A. S.** and **Korchazhkin, V. V.**, Ordering of iron atoms in Fe–Mn–Al alloys isostructural with $\beta$-Mn 6, 177
**Irkhin, Yu. P., Zabolotskiy, Ye. I.** and **Rozenfel'd, Ye. V.** Influence of local symmetry on the magnetic anisotropy of alloys 6, 78
**Isfandiyarov, G. G.** *See* **Kutsar, A. R., Rodionov, Yu. L., Zizin, V. I.** and **Isfandiyarov, G. G.** 3, 173
**Isfandiyarov, G. G.** *See* **Rodionov, Yu. L., Isfandiyarov, G. G.** and **Zambrzhitskiy, V. N.** 2, 94
**Isfandiyarov, G. G.** *See* **Zambrzhitskiy, V. N., Maksimova, O. P., Gruzin, P. L., Rodionov, Yu. L., Isfandiyarov, G. G.** and **Seleznev, V. L.** 3, 100
**Isfandiyarov, G. G.** *See* **Zambrzhitskiy, V. N., Maksimova, O. P., Gruzin, P. L., Rodionov, Yu. L., Utevskii, L. M., Isfandiyarov, G. G., Pankova, M. N.** and **Seleznev, V. N.** 4, 86
**Ivakhnenko, S. A.** *See* **Antonova, T. Ye., Belash, I. T.** and **Ivakhnenko, S. A.** 2, 196
**Ivanov, A. A.** Influence of the form of random potentials of a domain wall on the magnetic hysteresis. II. Pinning by defects with a finite radius of interaction 5, 43
**Ivanov, A. A.** and **D'yachuk, P. P.** Description of the one-dimensional flow of configurations of a domain wall moving in a random field of point defects 2, 1
**Ivanov, A. A.** and **D'yachuk, P. P.** Influence of the form of the random potential of a domain wall on magnetic hysteresis. I. Highly localized centres of pinning 3, 1
**Ivanov, G. A.** *See* **Krylov, A. S.** and **Ivanov, G. A.** 2, 181
**Ivanov, K. G.** *See* **Rusinov, V. A.** and **Ivanov, K. G.** 2, 175
**Ivanov, V. Yu.** *See* **Vinokurova, L. I., Ivanov, V. Yu.** and **Sagoyan, L. I.** 3, 76
**Ivanova, G. V.** and **Magat, L. M.** Concerning the phases in the system samarium–copper 1, 185
**Ivchenko, V. A.** and **Syutkin, N. N.** Field ion microscopy of structure transformations in platinum–iridium alloys 1, 121
**Izotov, V. I.** *See* **Omel'chenko, A. V., Panktratova, L. S., Soshnikov, V. I.** and **Izotov, V. I.** 2, 166

**Izotova, G. A.** *See* **Vlasova, Ye. N., Izotova, G. A., Potapov, N. N.** and **Libman, M. A.** 4, 140
**Izyumov, Yu. A.** and **Skryabin, Yu. N.** Magnetic ordering in superconductive rare-earth compounds 5, 1

**Kaganovskiy, Yu. S.** *See* **Geguzin, Ya. Ye.** and **Kaganovskiy, Yu. S.** 2, 183
**Kalanov, M.** *See* **Fayzullayev, F., Karimov, I., Kalanov, M., Emiraliyev, A.** and **Polishchuk, V. S.** 1, 181
**Kalashnikov, V. P.** and **Kozhevnikov, N. V.** Macroscopic equations of magnet dynamics. III. *s–d* model in a variable magnetic field 2, 20
**Kalyukin, Yu. N.** *See* **Drapkin, B. M., Birfel'd, A. A., Kononenko, V. K.** and **Kalyukin, Yu. N.** 5, 150
**Kandaurova, G. S.** and **Vas'kovskiy, V. O.** Local coercivity of domain boundaries 4, 57
**Kanyuka, V. I.** *See* **Grabovskiy, V. Ya., Levitin, V. V.** and **Kanyuka, V. I.** 4, 179
**Karimov, I.** *See* **Fayzullayev, F., Karimov, I., Kalanov, M., Emiraliyev, A.** and **Polishchuk, V. S.** 1, 181
**Karpov, P. P.** *See* **Sadovskiy, V. D., Uvarov, A. I., Vasechkina, T. P., Gorbatenko, N. A., Karpov, P. P.** and **Petrakov, Ye. I.** 4, 152
**Kashchenko, M. P.** Conditions under which waves comparable with Bain deformation are generated 5, 30
**Katsnel'son, A. A., Goncharenko, Yu. D., Grabova, R. B., Kosenkov, V. M.** and **Pokrovskiy, A. S.** Diffuse X-ray scattering by neutron irradiated molybdenum 6, 113
**Katsnel'son, A. A., Silonov, V. M.** and **Khavada Farid A.** Theory of the calculation of short-range order parameters in any coordination sphere in the pseudopotential approximation, and its application to a study of alloys Ni–Pt, Ni–Fe and Al–Zn 1, 40
**Kaybyshev, O. A.** *See* **Valiyev, R. Z., Kaybyshev, O. A.** and **Sergeyev, V. I.** 6, 144
**Kazantsev, A. M.** *See* **Glebovskiy, V. G., Kazantsev, A. M., Pronman, I. M.** and **Shipilevskiy, B. M.** 3, 130
**Kelarev, V. V.** *See* **Pirogov, A. N., Yermolenko, A. S., Dvinyaninov, V. N., Chuyev, V. V.** and **Kelarev, V. V.** 3, 120
**Khadyev, M. S., Nemirovskiy, Yu. R.** and **Filippov, M. A.** Mechanical twinning of the h.c.p. $\varepsilon$ phase of Fe–Mn alloys during plastic deformation 2, 148
**Khadyev, M. S.** *See* **Korshunov, L. G., Bogachev, I. N.** (dec.), **Averin, Yu. I., Chernykh, S. G.** and **Khadyev, M. S.** 1, 94
**Khadyev, M. S.** *See* **Vasilenko, A. M., Zvigintsev, N. V., Mogutnov, B. M., Khadyev, M. S.** and **Shaposhnikov, N. G.** 3, 137
**Khaldeyev, G. V.** *See* **Chuzhko, R. K., Andreyev, Yu. V., Kleyner, L. M.** and **Khaldeyev, G. V.** 3, 115
**Khannanov, Sh. Kh.** Dislocation and disclination kinetics and the formation of a fragmented structure 4, 32
**Khannanov, Sh. Kh.** Kinetics of dislocations and disclinations 1, 47
**Kharitonov, N. V.** Twinning in iron experiencing a plane shock wave 6, 171
**Khavada Farid A.** *See* **Katsnel'son, A. A., Silonov, V. M.** and **Khavada Farid A.** 1, 40
**Khayutin, S. G.** and **Meshchaninov, I. V.** Mechanical properties of dilute nickel solid solutions 1, 133
**Khayutin, S. G.** *See* **Koryagina, M. V., Meshchaninov, I. V.** and **Khayutin, S. G.** 4, 145

**Khodenkov, G. Ye.** Discontinuity of the limiting velocities at the Bloch–Neel domain wall transition point **3,** 194
**Khotkevich, V. I.** *See* **Kozinets, V. V., Khotkevich, V. I.** and **Ogneva, E. M.** **1,** 141
**Kibets, V. I.** *See* **Geguzin, Ya. Ye., Kibets, V. I.** and **Chekanov, M. I.** **5,** 162
**Kinev, V. D., Naysh, Ye.** and **Syromyatnikov, V. N.** Construction of an integral rational basis of invariants for structure and magnetic phase transitions **2,** 10
**Kirshenina, I. I., Tret'yakov, B. N., Belova, L. I.** and **Tokmanova, V. A.** Non-magnetic localized iron impurity states in titanium–niobium–zirconium alloys **2,** 39
**Kleshchev, G. V.** *See* **Shumilov, D. V., Kleshchev, G. V.** and **Emirbekov, E. T.** **5,** 182
**Kleyner, L. M.** *See* **Chuzhko, R. K., Andreyev, Yu. V., Kleyner, L. M.** and **Khaldeyev, G. V.** **3,** 115
**Klimenko, V. A., Masharov, S. I., Rybalko, A. F., Rybalko, N. M.** and **Timofeyev, N. I.** Influence of short-range order on the ordering of alloy A–B–(C) **5,** 85
**Klotsman, S. M.** *See* **Arbuzov, V. L., Vladimirov, A. B., Danilov, S. Ye., Klotsman, S. M.** and **Trakhtenberg, I. Sh.** **2,** 113
**Klyuyeva, I. B.** *See* **Babanova, Ye. N., Klyuyeva, I. B., Chemerinskaya, L. S., Sidorenko, F. A., El'ner, V. Ya.** and **Gel'd, P. V.** **3,** 184
**Kobytev, V. S.** *See* **Koneva, N. A., Teplyakova, L. A., Starenchenko, V. A., Kozlov, E. V.** and **Kobytev, V. S.** **3,** 152
**Kobytev, V. S.** *See* **Popov, I. Ye., Kobytev, V. S., Starenchenko, V. A.** and **Baumgarten, M. I.** **4,** 167
**Kogan, L. I.** *See* **Golikov, V. M.** (dec.), **Novikov, B. A., Kogan, L. I.** and **Entin, R. I.** **3,** 197
**Kogan, Ye. M.** and **Dyakin, V. V.** Approximate method of calculating linear response **4,** 196
**Kokorin, V. V.** and **Osipenko, I. A.** Small ferromagnetic inclusions in copper–manganese–aluminium alloys **4,** 41
**Kokorin, V. V., Osipenko, I. A.** and **Perekos, A. Ye.** Magnetic properties of the system of dispersed ferromagnetic particles in Cu–Ni–Co alloys **2,** 187
**Kolmogorov, V. L.** *See* **Smirnov, S. V., Bogatov, A. A.** and **Kolmogorov, V. L.** **2,** 143
**Kondorskiy, Ye. I., Galkina, O. S.** and **Zakharova, I. N.** Magnetic phase transitions in holmium and holmium–samarium alloys **1,** 58
**Kondorskiy, Ye. I., Il'yina, I. K.** and **Galkina, O. S.** Magnetoresistance of Dy–Sm alloys **6,** 58
**Kondrat'yev, A. S.** *See* **Zyryanova, N. P., Kondrat'yev, A. S., Kuchma, A. Ye.** and **Okulov, V. I.** **5,** 57
**Koneva, N. A., Teplyakova, L. A., Starenchenko, V. A., Kozlov, E. V.** and **Kobytev, V. S.** Influence of experimental temperature on the work hardening of mono- and polycrystalline alloy $Ni_3Fe$ **3,** 152
**Konobeyev, Yu. V.** and **Subbotin, A. V.** Influence of the concentration of pre-injected helium and the temperature of that operation on the concentration of voids in a metal irradiated with heavy ions **3,** 175
**Konobeyev, Yu. V.** *See* **Golubov, S. I.** and **Konobeyev, Yu. V.** **3,** 160
**Kononenko, V. K.** *See* **Drapkin, B. M., Birfel'd, A. A., Kononenko, V. K.** and **Kalyukin, Yu. N.** **5,** 150
**Kononova, L. M.** *See* **Glotova, L. S., Yakovlev, G. P., Kononova, L. M.** and **Mamayev, S. V.** **2,** 59
**Korchazhkin, V. V.** *See* **Ilyushin, A. S.** and **Korchazhkin, V. V.** **6,** 177

**Kornev, Yu. V.** and **Sysoyev, V. Ya.** Resonance fields of multi- and unilayer magnetic films **1,** 190
**Korolev, A. V.** and **Dyakin, V. V.** Coercive force of a single crystal with narrow domain boundaries **1,** 64
**Korolev, Yu. V.** and **Borodin, I. N.** Resonance properties of thin magnetic films where there is a lattice of bubble domains **1,** 187
**Korotayev, A. D., Tyumentsev, A. N., Danyushchenkov, I. A., Dizhur, L. M.** and **Arbuzov, V. K.** Role of nucleation conditions in the formation of an oxide phase internal oxidation of molybdenum alloys **4,** 96
**Korshunov, L. G., Bogachev, I. N.** (dec.), **Averin, Yu. I., Chernykh, S. G.** and **Khadyev, M. S.** Influence of the martensitic $\gamma \rightarrow \alpha$ transformation of the strengthening kinetics and resistance of the friction surface of austenite steels to rupture under conditions of wear involving multiple strains **1,** 94
**Korshunskiy, M. I.** (dec.), *See* **Andryushin, V. I.** and **Korshunskiy, M. I.** (dec.) **4,** 51
**Koryagina, M. V., Meshchaninov, I. V.** and **Khayutin, S. G.** Recrystallization and grain growth in nickel alloys **4,** 145
**Kosakovskaya, Z. Ya.** *See* **Ukhlinov, G. A.** and **Kosakovskaya, Z. Ya.** **4,** 104
**Kosenkov, V. M.** *See* **Katsnel'son, A. A., Goncharenko, Yu. D., Grabova, R. B., Kosenkov, V. M.** and **Pokrovskiy, A. S.** **6,** 113
**Kosevich, V. M., Lyubchenko, A. P., Grigorov, S. S.** and **Umanskiy, G. P.** The role of high-angle boundaries in the formation of spheroidal graphite **4,** 131
**Kositsyn, S. V., Litvinov, V. S., Sorokin, G. V.** and **Gervas'yev, M. A.** Influence of silicon in diffusion in nickel–aluminium alloys **5,** 138
**Kostyukova, Ye. P.** *See* **Baranov, Yu. V., Kostyukova, Ye. P.** and **Zamorov, Yu. V.** **5,** 117
**Koval', Yu. N.** and **Molin, A. I.** Appearance of electromotive force in Fe–Ni alloys during the $\gamma \rightarrow \alpha$ transformation **5,** 172
**Kovalev, A. I.** Influence of phosphorus grain boundary segregations and microstructure on the brittle failure of steel 35G2 after quenching and medium annealing **4,** 123
**Kovaleva, V. A.** *See* **Zhuravleva, Ye. N., Romanov, Ye. P., Sudareva, S. V., Kovaleva, V. A., Figurovskaya, Ye. A.** and **Nikulin, A. D.** **5,** 122
**Kozhanov, V. N.** *See* **Verkhovskiy, S. V., Kozhanov, V. N., Stepanov, A. P., Romanov, Ye. P.** and **Galoshina, E. V.** **6,** 94
**Kozhanov, V. N.** *See* **Verkhovskiy, S. V., Kozhanov, V. N., Stepanov, A. P., Shevchenko, A. D., Pan, V. M.** and **Bulakh, I. Ye.** **3,** 91
**Kozhevnikov, N. V.** *See* **Kalashnikov, V. P.** and **Kozhevnikov, N. V.** **2,** 20
**Kozinets, V. V., Khotkevich, V. I.** and **Ogneva, E. M.** Yield point in some f.c.c. metals at 4·2 K **1,** 141
**Kozlov, E. V.** *See* **Koneva, N. A., Teplyakova, L. A., Starenchenko, V. A., Kozlov, E. V.** and **Kobytev, V. S.** **3,** 152
**Krasnoyartseva, L. S.** *See* **Lyasotskiy, I. V., Lyasotskaya, V. S., Krasnoyartseva, L. S.** and **Feoktistova, Ye. K.** **6,** 159
**Kravchenko, V. V.** *See* **Stetsenko, A. N., Golovanov, Ye. A., Kravchenko, V. V.** and **Fedorenko, A. I.** **4,** 111
**Krinchik, G. S.** and **Mironova, L. S.** Magneto-optical spectra of ferromagnetic alloys with amorphous and crystalline states **5,** 91

**Krishtal, M. A.** and **Nikitin, K. Ye.** Rayleigh wave investigation of the dislocation anharmonism of plastically deformed metals **1,** 155
**Krivoglaz, M. A.** *See* **Dubrovskiy, I. M.** and **Krivoglaz, M. A.** **6,** 7
**Kruglov, A. S.** *See* **Porollo, S. I., Shcherbak, V. I., Dmitriyev, V. D., Kruglov, A. S.** and **Pevchikh, Yu. M.** **6,** 154
**Krylov, A. S.** and **Ivanov, G. A.** Controlling the composition of bismuth-based single crystals by the method of charge transfer **2,** 181
**Krylov, B. S.** *See* **V'yunenko, Yu. N., Krylov, B. S., Likhachev, V. A., Meshcheryakov, Yu. I.** and **Nedbay, A. I.** **5,** 111
**Krylovskiy, V. S.** *See* **Lebedev, V. P.** and **Krylovskiy, V. S.** **5,** 143
**Kuchma, A. Ye.** *See* **Zyryanova, N.. P., Kondrat'yev, A. S., Kuchma, A. Ye.** and **Okulov, V. I.** **5,** 57
**Kutsar, A. R., Rodionov, Yu. L., Zizin, V. I.** and **Isfandiyarov, G. G.** Nuclear gamma resonance study of the tempering transformations of steel **3,** 173
**Kuz'menko, V. M.** and **Mel'nikov, V. I.** Electronic properties of metastable $\beta$ gallium **2,** 72
**Kuz'min, N. N.** and **Men'shikov, A. Z.** Low-temperature critical neutron scattering in iron–nickel and nickel–manganese alloys **2,** 190
**Kuz'mina, S. I.** *See* **Pushkar', V. V., Zhuravlev, A. F., Mitsek, A. I.** and **Kuz'mina, S. I.** **3,** 41
**Kuznetsov, G. F.** and **Orgin, Yu. F.** Hetero-epitaxial growth, structure defects and electrical properties of monocrystalline films of lead at 4·2 K **5,** 108
**Kuznetsov, Yu. S., Shtol'ts, A. K.** and **Gel'd, P. V.** Low-temperature elastic properties of solid solutions $V_3Si_{1-x}Ge_x$ **2,** 138

**Latysheva, V. I.** *See* **Pan, V. M., Latysheva, V. I., Litvinenko, Ye. N., Flis, V. S.** and **Gorskiy, V. V.** **1,** 170
**Lavrent'yev, F. F.** and **Nikiforenko, V. N.** Contribution of basal dislocations to the residual resistivity of zinc single crystals **3,** 164
**Lebedev, V. P.** and **Krylovskiy, V. S.** Influence of the size factor on the softening of lead in the superconductive state **5,** 143
**Lebedev, Yu. G.** *See* **Filippov, B. N., Boltachev, V. D.** and **Lebedev, Yu. G.** **6,** 21
**Lebedev, Yu. G.** *See* **Filippov, B. N., Lebedev, Yu. G., Rayevskiy, Ye. I.** and **Tankeyev, A. P.** **6,** 37
**Lebedev, Yu. G.** *See* **Filippov, B. N., Tankeyev, A. P., Lebedev, Yu. G.** and **Rayevskiy, Ye. I.** **3,** 59
**Levit, V. I., Bakhteyeva, N. D.** and **Smirnov, L. V.** Influence of high-temperature thermomechanical treatment of the load–elongation curves of single crystals of alloy KhN77TYuR **2,** 153
**Levitin, V. V.** *See* **Grabovskiy, V. Ya., Levitin, V. V.** and **Kanyuka, V. I.** **4,** 179
**Libman, M. A.** *See* **Vlasova, Ye. N., Izotova, G. A., Potapov, N. N.** and **Libman, M. A.** **4,** 140
**Likhachev, V. A.** *See* **Bryanin, G. E., Driban, V. A.** and **Likhachev, V. A.** **4,** 15
**Likhachev, V. A.** *See* **V'yunenko, Yu. N., Krylov, B. S., Likhachev, V. A., Meshcheryakov, Yu. I.** and **Nedbay, A. I.** **5,** 111
**Litvin, D. F.** *See* **Vintaykin, Ye. Z., Udovenko, V. A., Litvin, D. F.** and **Serebryakov, V. G.** **4,** 182
**Litvinenko, Ye. N.** *See* **Pan, V. M., Latysheva, V. I., Litvinenko, Ye. N., Flis, V. S.** and **Gorskiy, V. V.** **1,** 170
**Litvinov, V. S.** *See* **Kositsyn, S. V., Litvinov, V. S., Sorokin, V. G.** and **Gervas'yev, M. A.** **5,** 138

**Litvintsev, V. V.** *See* **Yakimov, I. I., Gorovoy, A. M.** and **Litvintsev, V. V.** **4,** 46
**Luft, A.** *See* **Grigor'yev, O. N., Luft, A., Perepelkin, A. V., Firstov, S. A.** and **Shatokhin, A. M.** **1,** 163
**Lukashchuk, S. N.** *See* **Bessergenov, V. G., Boyarskiy, L. A., Lukashchuk, S. N.** and **Slutskiy, M. I.** **2,** 44
**Lyasotskaya, V. S.** *See* **Lyasotskiy, I. V., Lyasotskaya, V. S., Krasnoyartseva, L. S.** and **Feoktistova, Ye. K.** **6,** 159
**Lyasotskiy, I. V., Lyasotskaya, V. S., Krasnoyartseva, L. S.** and **Feoktistova, Ye. K.** Structural changes during the heating of a complex titanium alloy **6,** 159
**Lyubchenko, A. P.** *See* **Kosevich, V. M., Lyubchenko, A. P., Grigorov, S. N.** and **Umanskiy, G. P.** **4,** 131

**Magat, L. M.** *See* **Ivanova, G. V.** and **Magat, L. M.** **1,** 185
**Maksimova, O. P.** *See* **Zambrzhitskiy, V. N., Maksimova, O. P., Gruzin, P. L., Rodionov, Yu. L., Isfandiyarov, G. G.** and **Seleznev, V. L.** **3,** 100
**Maksimova, O. P.** *See* **Zambrzhitskiy, V. N., Maksimova, O. P., Gruzin, P. L., Rodionov, Yu. L., Utevskiy, L. M., Isfandiyarov, G. G., Pankova, M. N.,** and **Seleznev, V. N.** **4,** 86
**Mamayev, S. V.** *See* **Glotova, L. S., Yakovlev, G. P., Kononova, L. M.** and **Mamayev, S. V.** **2,** 59
**Mamedov, R. A.** *See* **Guseynov, N. G.** and **Mamedov, R. A.** **1,** 193
**Marinin, G. A.** *See* **Datsko, O. I., Marinin, G. A.** and **Oberemchenko, I. A.** **2,** 203
**Markin, V. Ya.** *See* **Savin, V. I., Markin, V. Ya., Deryavko, I. I.** and **Yakutovich, M. V.** **2,** 170
**Martem'yanova, Z. S., Vinogradov-Zhabrov, O. N., Baraboshkin, A. N.** and **Zyryanov, V. G.** ($\bar{1}01$ *l*) texture of rhenium electro-deposited from fused salts **6,** 163
**Masharov, S. I., Klimenko, V. A., Masharov, S. I., Rybalko, A. F., Rybalko, N. M.** and **Timofeyev, N. I.** **5,** 85
**Matorin, V. I.** *See* **Vlasova, Ye. N., Matorin, V. I., Zaytseva, G. A., Tret'yakov, B. N.** and **Tokmakova, V. A.** **1,** 110
**Matveyev, V. A., Fedorov, G. V.** and **Volkenshteyn, N. V.** Thermo e.m.f. of alloys PdFe, PdCo and PdNi **6,** 50
**Mel'nikov, V. I.** *See* **Kuz'menko, V. M.** and **Mel'nikov, V. I.** **2,** 72
**Mendel'son, V. M.** *See* **Vaynshteyn, A. A.** and **Mendel'son, V. M.** **6,** 156
**Men'shenin, V. V., Mirsayev, I. F.** and **Taluts, G. G.** Parametric amplification of magnetic waves in spin glass by elastic pumping **3,** 24
**Men'shikov, A. Z.** *See* **Kuz'min, N. N.** and **Men'shikov, A. Z.** **2,** 190
**Meshchaninov, I. V.** *See* **Khayutin, S. G.** and **Meshchaninov, I. V.** **1,** 133
**Meshchaninov, I. V.** *See* **Koryagina, M. V., Meshchaninov, I. V.** and **Khayutin, S. G.** **4,** 145
**Meshcheryakov, Yu. I.** *See* **V'yunenko, Yu. N., Krylov, B. S., Likhachev, V. A., Meshcheryakov, Yu. I.** and **Nedbay, A. I.** **5,** 111
**Mezhova, N. Ya.** *See* **Georgiyev, M. M., Dogadushkin, V. Yu.** and **Mezhova, N. Ya.** **1,** 145
**Mironova, L.** *See* **Krinchik, G. S.** and **Mironova, L.** **5,** 91
**Mirsayev, I. F.** *See* **Men'shenin, V. V., Mirsayev, I. F.** and **Taluts, G. G.** **3,** 24
**Mirvat Abdul Aal** and **Chechernikov, V. I.** Some of the magnetic properties of solid solutions of system $Er_xA_{1-x}Fe_2$(A – Sc, Y, Lu) **3,** 189
**Mitsek, A. I.** *See* **Pushkar', V. N., Zhuravlev, A. F., Mitsek, A. I.** and **Kuz'mina, S. I.** **3,** 41
**Mkrtchyan, V. S.** *See* **Ayvazov, M. I., Aleksandrovich, S. V.** and **Mkrtchyan, V. S.** **5,** 169

**Mogutnov, B. M.** *See* **Vasilenko, A. M., Zvigintsev, N. V., Mogutnov, B. M., Khadyev, M. S.** and **Shaposhnikov, N. G.** 1, 137
**Moiseyeva, I. V., Okrainets, P. N.** and **Pishchak, V. K.** Dynamics of the variation of dislocation density during creep of nickel 3, 180
**Molin, A. I.** *See* **Koval', Yu. N.** and **Molin, A. I.** 5, 172
**Molotilov, B. V.** *See* **Zolotarev, S. N., Molotilov, B. V.** and **Samarina, N. M.** 3, 186
**Monasevich, L. A.** and **Paskal', Yu. I.** Martensite–martensite transformation in titanium nickelide 4, 118
**Motulevich, G. P.** *See* **Burkova, L. T., Motulevich, G. P.** and **Shubin, A. A.** 6, 167
**Murtazin, I. A.** and **Salamatov, Ye. I.** Dynamics of a b.c.c. lattice containing an interstitial atom in a split configuration 5, 38

**Nasyrov, R. Sh.** *See* **Deryagin, A. I.** and **Nasyrov, R. Sh.** 6, 64
**Navrotskiy, I. V.** *See* **Boyko, Yu. F., Navrotskiy, I. V.** and **Podgayskiy, M. S.** 1, 105
**Naysh, Ye.** *See* **Kinev, V. D., Naysh, Ye.** and **Syromyatnikov, V. N.** 2, 10
**Nadbay, A. I.** *See* **V'yunenko, Yu. N., Krylov, B. S., Likhachev, V. A., Meshcheryakov, Yu. I.** and **Nedbay, A. I.** 5, 111
**Nemirovskiy, Yu. R.** *See* **Khadyyev, M. S., Nemirovskiy, Yu. R.** and **Filippov, M. A.** 2, 148
**Nikiforenko, V. N.,** *See* **Lavrent'yev, F. F.** and **Nikiforenko, V. N.** 3, 164
**Nikitin, K. Ye.** *See* **Krishtal, M. A.** and **Nikitin, K. Ye.** 1, 155
**Nikulin, A. D.** *See* **Zhuravleva, Ye. N., Romanov, Ye. P., Sudareva, S. V., Kovaleva, V. A., Figurovskaya, Ye. A.** and **Nikulin, A. D.** 5, 122
**Novikov, B. A.** *See* **Golikov, V. M.** (dec.), **Novikov, B. A., Kogan, L. I.** and **Entin, R. I.** 3, 197
**Novikov, V. F.** and **Dolgikh, V. Ye.** Magnetoelastic hysteresis in alloys of iron with terbium 2, 55
**Novikov, V. F.** *See* **Fatayev, I. G., Novikov, V. F.** and **Dunayev, F. N.** 2, 66

**Oberemchenko, I. A.** *See* **Datsko, O. I., Marinin, G. A.** and **Oberemchenko, I. A.** 2, 203
**Ogneva, M.** *See* **Kozinets, V. V., Khotkevich, V. I.** and **Ogneva, E. M.** 1, 141
**Okovit, V. S.** *See* **Gindin, I. A., Okovit, V. S.** and **Chirkina, L. A.** 6, 134
**Okrainets, P. N.** and **Pishchak, V. K.** Strengthening, recovery and structural changes during creep of alloys Cu+10 at.% Ni 5, 156
**Okrainets, P. N.** and **Pishchak, V. K.** The development of a substructure and internal stress during creep 6, 129
**Okrainets, P. N.** *See* **Moiseyeva, I. V., Okrainets, P. N.** and **Pishchak, V. K.** 3, 180
**Okulov, V. I.** *See* **Zyryanova, N. P., Kondrat'yev, A. S., Kuchma, A. Ye.** and **Okulov, V. I.** 5, 57
**Omel'chenko, A. V., Pankratova, L. S., Soshnikov, V. I.** and **Izotov, V. I.** Structure and hardness of the martensite in Fe–Zn alloys 2, 166
**Orekhova, T. S.** *See* **Petrenko, E. D., Puzey, I. M., Borodkina, M. M., Savvin, A. N.** and **Orekhova, T. S.** 5, 78
**Orgin, Yu. F.** *See* **Kuznetsov, G. F.** and **Orgin, Yu. F.** 5, 108
**Oshkaderov, S.P.** *See* **Gridnev, V. N., Oshkaderov, S. P.** and **Televich, R. V.** 3, 200
**Oshkaderov, S. P.** *See* **Gridnev, V. N., Vovk, Ya. N., Oshkaderov, S. P.** and **Televich, R. V.** 4, 190
**Osipenko, I. A.** *See* **Kokorin, V. V., Osipenko, I. A.** and **Perekos, A. Ye.** 2, 187
**Ovcharenko, A. A.** Computer calculation of the constitution diagrams of certain binary alloys with determination of interaction parameters from experimental diagrams 5, 96

**Pamyatnykh, Ye. P.** The low-temperature adiabatic de Haas–van Alphen effect in an electron fluid **5,** 63
**Pan, V. M., Latysheva, V. I., Litvinenko, Ye. N., Flis, V. S.** and **Gorskiy, V. V.** Phase equilibrium and the superconductive properties of niobium–tin–copper alloys **1,** 170
**Pan, V. M.** *See* **Verkhovskiy, S. V., Kozhanov, V. N., Stepanov, A. P., Shevchenko, A. D., Pan, V. M.** and **Bulakh, I. Ye.** **3,** 91
**Panin, V. Ye.** *See* **Chulkov, Ye. V., Psakh'ye, S. G., Zhorovkov, M. F.** and **Panin, V. Ye.** **6,** 1
**Pankova, M. N.** *See* **Zambrzhitskiy, V. N., Maksimova, O. P., Gruzin, L. P., Rodionov, Yu. L., Utevskiy, L. M., Isfandiyarov, G. G., Pankova, M. N.** and **Seleznev, V. N.** **4,** 86
**Pankratova, L. S.** *See* **Omel'chenko, A. V., Pankratova, L. S., Soshnikov, V. I.** and **Izotov, V. I.** **2,** 166
**Pashchenko, T. N.** *See* **Chebotkevich, L. A., Pashchenko, T. N.** and **Veter, V. V.** **6,** 68
**Paskal, Yu. I.** *See* **Monasevich, L. A.** and **Paskal', Yu. I.** **4,** 181
**Perekos, A. Ye.** *See* **Kokorin, V. V., Osipenko, I. A.** and **Perekos, A. Ye.** **2,** 187
**Perepelkin, A. V.** *See* **Grigor'yev, O. N., Luft, A., Perepelkin, A. V., Firstov, S. A.** and **Shatokhin, A. M.** **1,** 163
**Petrakov, Ye. I.** *See* **Sadovskiy, V. D., Uravov, A. I., Vasechkina, T. P., Gorbatenko, N. A., Karpov, P. P.** and **Petrakov, Ye. I.** **4,** 152
**Petrenko, E. D., Puzey, I. M., Borodkina, M. M., Savvin, A. N.** and **Orekhova, T. S.,** Peculiar features of the magnetic properties of Fe–Co–Ni Perminvars in the magnetic anisotropy range **5,** 78
**Pevchikh, Yu. M.** *See* **Porollo, S. I., Shcherbak, V. I., Dmitriyev, V. D., Kruglov, A. S.** and **Pevchikh, Yu. M.** **6,** 154
**Pirogov, A. N., Yermolenko, A. S., Dvinyaninov, V. N., Chuyev, V. V.** and **Kelarev, V. V.** Neutron diffraction investigation of the distribution of cobalt and nickel atoms over the crystal lattice sites in compounds $Y(Co_{1-x}Ni_x)_5$ and $La(Co_{1-x}Ni_x)_5$ **3,** 120
**Pishchak, V. K.** *See* **Moiseyeva, I. V., Okrainets, P. N.** and **Pishchak, V. K.** **3,** 180
**Pishchak, V. K.** *See* **Okrainets, P. N.** and **Pishchak, V. K.** **5,** 156
**Pishchak, V. K.** *See* **Okrainets, P. N.** and **Pishchak, V. K.** **6,** 129
**Plotnikov, V. P.** *See* **Fedorov, V. A., Finkel', V. M.** and **Plotnikov, V. P.** **2,** 167
**Podgayskiy, M. S.** *See* **Boyko, Yu. F., Navrotskiy, I. V.** and **Podgayskiy, M. S.** **1,** 105
**Pogosyan, Ya. M.** and **Chalabyan, M. A.** On the nature of the coercive force of domain wall migration in thin films **1,** 69
**Pokhodnaya, I. K., Ustinov, V. G.** and **Shvachko, V. I.** Influence of phase transformations on secondary ion-ion emission in iron–nitrogen alloys **2,** 173
**Pokrovskiy, A. S.** *See* **Katsnel'son, A. A., Goncharenko, Yu. D., Grabova, R. B., Kosenkov, V. M.** and **Pokrovskiy, A. S.** **6,** 113
**Polishchuk, V. S.** *See* **Fayzullayev, F., Karimov, I., Kalanov, M., Emiraliyev, A.** and **Polishchuk, V. S.** **1,** 181
**Popov, I. Ye., Kobytev, V. S., Starenchenko, V. A.** and **Baumgarten, M. I.** Temperature dependence of resistance of the motion of edge superdislocations **4,** 167
**Popov, V. V.,** *See* **Gol'dshteyn, M. I., Popov, V. V.** and **Cheremnykh, V. G.** **2,** 177
**Porollo, S. I., Shcherbak, V. I., Dmitriyev, V. D, Kruglov, A. S.** and **Pevchikh, Yu. M.** Electron microscopic analysis of the microstructure of steel 0Kh16N15M3B after creep testing in reactor BR-10 **6,** 154
**Potapov, N. N.** *See* **Vlasova, Ye. N., Izotova, G. A., Potapov, N. N.** and **Libman, M. A.** **4,** 140

**Pronman, I. M.** *See* **Glebovskiy, V. G., Kazantsev, A. M., Pronman, I. M.** and **Shipilevskiy, B. M.** 3, 130
**Psukh'ye, S. G.** *See* **Chulkov, Ye. V., Psukh'ye, S. G., Zhorovkov, M. F.** and **Panin, V. Ye.** 6, 1
**Pushin, V. G., Romanova, R. R., Smirnov, M. A., Rodionov, D. P., Smirnov, L. V.** and **Balmanukyan, G. Ye.** Influence of the high-temperature deformation of austenite on the structure and ageing kinetics of maraging steel M12K7M5TYu 5, 129
**Pushin, V. G., Romanova, R. R., Uvarov, A. I.** and **Baranovskiy, A. N.** Influence of ageing and plastic deformation on the structure and mechanical properties of alloy Ni15Kh5G-3T3 with metastable austenite 2, 129
**Pushin, V. G.** *See* **Baranovskiy, A. N., Romanova, R. R., Pushin, V. G.** and **Buynov, N. N.** 4, 159
**Pushkar', V. N. Zhuravlev, A. F., Mitsek, A. I.** and **Kuz'mina, S. T.** Magnetic anisotropy in two-layer films of Permalloy Me(Cu, Al) 3, 41
**Puzanova, N. M.** *See* **Volobuyev, P. V., Puzanova, N. M.** and **Varaksin, A. N.** 3, 34
**Puzey, I. M.** *See* **Petrenko, E. D., Puzey, I. M., Borodkina, M. M., Savvin, A. N.** and **Orekhova, T. S.** 5, 78

**Rayevskiy, Ye. I.** *See* **Filippov, B. N., Lebedev, Yu. G., Rayevskiy, Ye. I.** and **Tenkeyev, A. P.** 6, 37
**Rayevskiy, Ye. I.** *See* **Filippov, B. N., Tankeyev, A. P., Lebedev, Yu. G.** and **Rayevskiy, Ye. I.** 3, 59
**Rodionov, D. P.** *See* **Pushin, V. G., Romanova, R. R., Smirnov, M. A., Rodionov, D. P., Smirnov, L. V.** and **Balmanukyan, G. Ye.** 5, 129
**Rodionov, Yu. L., Isfandiyarov, G. G.** and **Zambrzhitskiy, V. N.** Influence of the redistribution of atoms in the austenite of Fe–Ni–Mo and Fe–Ni–Si alloys 2, 94
**Rodionov, Yu. L.** *See* **Kutsar, A. R., Rodionov, Yu. L., Zizin, V. I.** and **Isfandiyarov, G. G.** 3, 173
**Rodionov, Yu. L.** *See* **Zambrzhitskiy, V. N., Maksimova, O. P., Gruzin, P. L., Rodionov, Yu. L., Utevskiy, L. M., Isfandiyarov, G. G., Pankova, M. N.** and **Seleznev, V. N.** 4, 86
**Rodionov, Yu. L.** *See* **Zambrzhitskiy, V. N., Maksimova, O. P., Gruzin, P. L., Rodionov, Yu. L., Isfandiyarov, G. G.** and **Seleznev, V. L.** 3, 100
**Romanov, Ye. P.** *See* **Verkhovskiy, S. V., Kozhanov, V. N., Stepanov, A. P., Romanov, Ye. P.** and **Galoshina, E. V.** 6, 94
**Romanov, Ye. P.** *See* **Zhuravleva, Ye. N., Romanov, Ye. P., Sudareva, S. V., Kovaleva, V. A., Figurovskaya, Ye. A.** and **Nikulin, A. D.** 5, 122
**Romanova, R. R.** *See* **Baranovskiy, A. N., Romanova, R. R., Pushin, V. G.** and **Buynov, N. N.** 4, 159
**Romanova, R. R.** *See* **Pushin, V. G., Romanova, R. R., Smirnov, M. A., Rodionov, D. P., Smirnov, L. V.** and **Balmanukyan, G. Ye.** 5, 129
**Romanova, R. R.** *See* **Pushin, V. G., Romanova, R. R., Uvarov, A. I.** and **Baranovskiy, A. N.** 2, 129
**Rozenberg, Ye. A.** *See* **Vlasov, K. B., Rozenberg, Ye. A.** and **Burkhanov, A. M.** 1, 29
**Rozenfel'd, Ye. V.** *See* **Irkhin, Yu. P., Zabolotskiy, Ye. I.** and **Rozenfel'd, Ye. V.** 6, 78
**Rusinov, V. A.** and **Ivanov, K. G.** A comparison of the effect of arsenic and antimony on the band structure of bismuth 2, 175
**Rusov, G. I., Zherikov, S. P., Bochkarev, V. F.** and **Torba, G. F.** Investigation of the temperature stability of amorphous Gd-Co films 6, 119
**Rybalko, A. F.** *See* **Klimenko, V. A., Masharov, S. I., Rybalko, A. F., Rybalko, N. M.** and **Timofeyev, N. I.** 5, 85

**Rybalko, N. M.** *See* **Klimenko, V. A., Masharov, S. I., Rybalko, A. F., Rybalko, N. M.** and **Timofeyev, N. I.** 5, 85
**Ryzhanova, V. N.** *See* **Voloshinskiy, A. N.** and **Ryzhanova, N. V.** 4, 68

**Sabirov, R. Kh.** Influence of positron– and electron–phonon interaction on positron trapping by the defects of a metal 6, 16
**Sadovskiy, V. D., Uvarov, A. I., Vesechkina, T. P., Gorbatenko, N. A., Karpov, P. P.** and **Petrakov, Ye. I.** Influence of austenite stability on the impact toughness of some austenitic steel. I. The quenched state 4, 152
**Safaraliyev, G. I.** *See* **Aliyev, M. I., Dadashev, I. Sh.** and **Safaraliyev, G. I.** 5, 166
**Sagoyan, L. I.** *See* **Vinokurova, L. I., Ivanov, V. Yu.** and **Sagoyan, L. I.** 3, 76
**Sagyndykov, A. S** *See* **Gryuznov, V. I.** and **Sagyndykov, A. S.** 5, 178
**Sakhanskaya, I. N., Teytel', Ye. I., Timofeyev, N. I., Denisov, Yu. P.** and **Syutkin, P. N.** (dec.) Ordering kinetics and mechanism of domain structure formation during isothermal tempering of a quenched alloy NiPt 2, 121
**Salamatov, Ye. I.** *See* **Murtazin, I. A.** and **Salamatov, Ye. I.** 5, 38
**Samarina, N. M.** *See* **Zolotarev, S. N., Molotilov, B. V.** and **Samarina, N. M.** 3, 186
**Samoylenko, Z. A.** *See* **Barannikova, G. A.** and **Samoylenko, Z. A.** 3, 191
**Sarrak, V. I.** *See* **Filippov, G. A.** and **Sarrak, V. I.** 1, 101
**Satdarova, F. F.** X-ray scattering by deformed crystals 3, 11
**Savin, V. I., Markin, V. Ya., Deryavko, I. I.** and **Yakutovich, M. V.** Influence of plastic deformation on the susceptibility of zirconium 2, 170
**Savvin, A. N.** *See* **Petrenko, E. D., Puzey, I. M., Borodkina, M. M., Savvin, A. N.** and **Orekhova, T. S.** 5, 78
**Schastlivtsev, V. M., Yakovleva, I. L.** and **Zavarov, A. S.** Influence of tempering on the structure and properties of patented steel 1, 115
**Seleznev, V. N.** *See* **Zambrzhitskiy, V. N., Maksimova, O. P., Gruzin, P. L., Rodionov, Yu. L., Utevskiy, L. M., Isfandiyarov, G. G., Pankova, M. N.** and **Seleznev, V. N.** 4, 86
**Seleznev, V. L.** *See* **Zambrzhitskiy, V. N., Maksimova, O. P., Gruzin, P. L., Rodionov, Yu. L., Isfandiyarov, G. G.** and **Seleznev, V. L.** 3, 100
**Serebryakov, V. G.** *See* **Belyatskaya, I. S.** and **Serebryakov, V. G.** 5, 189
**Serebryakov, V. G.** *See* **Vintaykin, Ye. Z., Udovenko, V. A., Litvin, D. F.** and **Serebryakov, V. G.** 4, 182
**Sergeyev, V. I.** *See* **Valiyev, R. Z., Kaybyshev, O. A.** and **Sergeyev, V. I.** 6, 144
**Shaposhnikov, N. G.** *See* **Vasilenko, A. M., Zvigintsev, N. V., Mogutnov, B. M., Khadyev, M. S.** and **Shaposhnikov, N. G.** 3, 137
**Shapovalov, V. A.** *See* **Dovgiy, V. T.** and **Shapovalov, V. A.** 4, 188
**Shashkov, O. D.** *See* **Sukhanov, V. D., Shashkov, O. D.** and **Syutkina, V. I.** 6, 123
**Shatokhin, A. M.** *See* **Grigor'yev, O. N., Luft, A., Perepelkin, A. V., Firstov, S. A.** and **Shatokhin, A. M.** 1, 163
**Shcherbak, V. I.** *See* **Porollo, S. I., Shcherbak, V. I., Dmitriyev, V. D., Kruglov, A. S.** and **Pevchikh, Yu. M.** 6, 154
**Shevchenko, A. D.** *See* **Verkhovskiy, S. V., Kozhanov, V. N., Stepanov, A. P., Shevchenko, A. D., Pan, V. M.** and **Bulakh, I. Ye.** 3, 91
**Shipilevskiy, B. M.** *See* **Glebovskiy, V. G., Kazantsev, A. M., Pronman, I. M.** and **Shipilevskiy, B. M.** 3, 130

**Shirokovskiy, V. P.** *See* **Vol'f, G. V.** and **Shirokovskiy, V. P.** 3, 169
**Shirokovskiy, V. P.** *See* **Vol'f, G. V.** and **Shirokovskiy, V. P.** 1, 53
**Shteynberg, M. M.** *See* **Ashikhmina, L. A., Berezina, T. G.** and **Shteynberg, M. M.** 2, 105
**Shtol'ts, A. K.** *See* **Kuznetsov, Yu. S., Shtol'ts, A. K.** and **Gel'd, P. V.** 2, 138
**Shubin, A. A.** *See* **Burkova, L. T., Motulevich, G. P.** and **Shubin, A. A.** 6, 167
**Shumilov, D. V., Kleshchev, G. V.** and **Emirbekov, E. T.** Diffraction of X-rays by single crystals of ageing alloys AlZn after hydrostatic compression 5, 182
**Shur, Ya. S.** *See* **Gass, V. G., Glazer, A. A.** and **Shur, Ya. S.** 5, 191
**Shur, Ya. S.** *See* **Tiunov, V. F., Zaykova, V. A.** and **Shur, Ya. S.** 4, 76
**Shvachko, V. I.** *See* **Pokhodnaya, I. K., Ustinov, V. G.** and **Shvachko, V. I.** 2, 173
**Shvindlerman, L. S.** *See* **Straumal, B. B., Sursayeva, V. G.** and **Shvindlerman, L. S.** 5, 102
**Sidorenko, F. A.** *See* **Babanova, Ye. N., Klyuyeva, I. B., Chemerinskaya, L. S., Sidorenko, F. A., El'mer, V. Ya.** and **Gel'd, P. V.** 3, 184
**Sidorenko, F. A.** *See* **Gal'perina, T. N., Flyagin, M. Ya., Sidorenko, F. A.** and **Gel'd, P. V.** 3, 72
**Sidorova, I. B.** *See* **Zolotarev, S. N., Sidorova, I. B., Skakov, Yu. A.** and **Solov'yev, V. A.** 1, 87
**Silin, V. P.** *See* **Zverev, V. M.** and **Silin, V. P.** 1, 15
**Silonov, V. M.** *See* **Katsnel'son, A. A., Silonov, V. M.** and **Khavada Earid A.** 1, 40
**Slutskiy, M. I.** *See* **Bessergenov, V. G., Boyarskiy, L. A., Lukashchuk, S. N.** and **Slutskiy, M. I.** 2, 44
**Skakov, Yu. A.** *See* **Zolotarev, S. N., Sidorova, I. B., Skakov, Yu. A.** and **Solov'yev, V. A.** 1, 87
**Smirnov, L. V.** *See* **Levit, V. I., Bakhteyeva, N. D.** and **Smirnov, L. V.** 2, 153
**Smirnov, S. V., Bogatov, A. A.** and **Kolmogorov, V. L.** Investigation of the plastic loosening of a metal and the healing of strain-induced defects during annealing 2, 143
**Skripko, Z. A.** *See* **Demidenko, V. S.** and **Skripko, Z. A.** 6, 31
**Skryabin, Yu. N.** *See* **Izyumov, Yu. A.** and **Skryabin, Yu. N.** 5, 1
**Smirnov, L. V.** *See* **Pushin, V. G., Romanova, R. R., Smirnov, M. A., Rodionov, D. P., Smirnov, L. V.** and **Balmanukyan, G. Ye.** 5, 129
**Smirnov, M. A.** *See* **Pushin, V. G., Romanova, R. R., Smirnov, M. A., Rodionov, D. P., Smirnov, L. V.** and **Balmanukyan, G. Ye.** 5, 129
**Sokhareva, T. N.** *See* **Vlasov, K. B., Sokhareva, T. N.** and **Timoshchuk, V. I.** 6, 89
**Sokolov, B. K.** *See* **Balandin, B. N., Sokolov, B. K.** and **Gubernatorov, V. V.** 3, 125
**Solov'yev, V. A.** *See* **Zolotarev, S. N., Sidorova, I. B., Skakov, Yu. A.** and **Solov'yev, V. A.** 1, 87
**Sorokin, V. G.** *See* **Kositsyn, S. V., Litvinov, V. S., Sorokin, V. G.** and **Gervas'yev, M. A.** 5, 138
**Sorokina, N. A.** *See* **Georgiyeva, I. Ya., Sorokina, N. A.** and **Gal'tsova, V. I.** 1, 178
**Soshnikov, V. I.** *See* **Omel'chenko, A. V., Pankratova, L. S., Soshnikov, V. I.** and **Izotov, V. I.** 2, 166
**Spakevics, S.** and **Arato, P.** Peculiarities of secondary recrystallization in iron–nickel alloys 2, 86
**Starenchenko, V. A.** *See* **Koneva, N. A., Teplyakova, L. A., Starenchenko, V. A., Kozlov, E. V.** and **Kobytev, V. S.** 3, 152
**Starenchenko, V. A.** *See* **Popov, I. Ye., Kobytev, V. S., Sterenchenko, V. A.** and **Baumgarten, M. I.** 4, 167
**Stefanovich, A. V.** and **Buldovskiy, V. A.** Phase transitions in ferroelectric antiferromagnets 6, 150
**Stepanov, A. P.** *See* **Verkhovskiy, S. V., Kozhanov, V. N., Stepanov, A. P., Romanov, Ye. P.** and **Galoshina, E. V.** 6, 94

**Stepanov, A. P.** *See* **Verkhovskiy, S. V., Kozhanov, V. N., Stepanov, A. P., Shevchenko, A. D., Pan, V. M.** and **Bulakh, I. Ye.** 3, 91
**Stepanov, B. M.** *see* **Antonets, Ye. P., Stepanov, B. M.** and **Fabrikov, V. A.** 3, 51
**Stetsenko, A. N., Golovanov, Ye. A., Kravchenko, V. V.** and **Fedorenko, A. I.** The epitaxy, structure and superconductive properties of thin niobium films on a (001) surface of fluorophlogopite 4, 111
**Stetsenko, P. N.** *See* **Antipov, S. D., Bondar, V. V., Goryunov, G. Ye.** and **Stetsenko, P. N.** 6, 173
**Straumal, B. B., Sursayeva, V. G.** and **Shvindlerman, L. S.** Dependence of the rate of non-activated motion of a grain boundary on its orientation 5, 102
**Subbotin, A. V.** *See* **Konobeyev, Yu. V.** and **Subbotin, A. V.** 3, 175
**Sudareva, S. V.** *See* **Zhuravleva, Ye. N., Romanov, Ye. P., Sudareva, S. V., Kovaleva, V. A., Figurovskaya, Ye. A.** and **Nikulin, A. D.** 5, 122
**Sukhanov, V. D., Shashkov, O. D.** and **Syutkina, V. I.** Study of decomposition in ordered alloys with a periodic antiphase domain structure 6, 123
**Sursayeva, V. G.** *See* **Straumal, B. B., Sursayeva, V. G.** and **Shvindlerman, L. S.** 5, 102
**Svirskaya, L. M.** and **Svirskiy, M. S.** Energy sub-bands in the polar model of a crystal 4, 1
**Svirskaya, L. M.** *See* **Svirskiy, R. S.** and **Svirskaya, L. M.** 5, 22
**Svirskiy, M. S.** *See* **Svirskaya, L. M.** and **Svirskiy, M. S.** 4, 1
**Svirskiy, R. S.** and **Svirskaya, L. M.** Polar states and the free electron gas of a metal 5, 22
**Sysoyev, V. Ya.** *See* **Kornev, Yu. V.** and **Sysoyev, V. Ya.** 1, 190
**Syutkin, N. N.** *See* **Ivchenko, V. A.** and **Syutkin, N. N.** 1, 121
**Syutkin, P. N.** (dec.) *See* **Sakhanskaya, I. N., Teytel', Ye. I., Timofeyev, N. I., Denisov, Yu. P.** and **Syutkin, P. N.** (dec.) 2, 121
**Syutkina, V. I.** *See* **Sukhanov, V. D., Shashkov, O. D.** and **Syutkina, V. I.** 6, 123
**Syromyatnikov, V. N.** *See* **Kinev, V. D., Naysh, Ye.** and **Syromyatnikov, V. N.** 2, 10

**Taluts, G. G.** *See* **Men'shenin, V. V., Mirsayev, I. F.** and **Taluts, G. G.** 3, 24
**Tankeyev, A. P.** *See* **Filippov, B. N., Lebedev, Yu. G., Rayevskiy, Ye. I.** and **Tankeyev, A. P.** 3, 37
**Tankeyev, A. P.** *See* **Filippov, B. N., Tankeyev, A. P., Lebedev, Yu. G.** and **Rayevskiy, Ye. I.** 3, 59
**Televich, R. V.** *See* **Gridnev, V. N., Oshkaderov, S. P.** and **Televich, R. V.** 3, 200
**Televich, R. V.** *See* **Gridnev, V. N., Vovk, Ya. N., Oshkaderov, S. P.** and **Televich, R. V.** 4, 190
**Teplyakova, L. A.** *See* **Koneva, N. A., Teplyakova, L. A., Starenchenko, V. A., Kozlov, E. V.** and **Kobytev, V. S.** 3, 152
**Teplykh, A. Ye.** *See* **Valiyev, E. Z.** and **Teplykh, A. Ye.** 2, 32
**Teytel', Ye. I.** *See* **Sakhanskaya, I. N., Teytel', Ye. I., Timofeyev, N. I., Denisov, Yu. P.** and **Syutkin, P. N.** (dec.) 2, 121
**Timofeyev, N. I., Gromov, V. I., Berseneva, F. N.** and **Gol'tsov, V. A.** Influence of solute hydrogen on the mechanical properties of palladium 4, 173
**Timofeyev, N. I.** *See* **Klimenko, V. A., Masharov, S. I., Rybalko, A. F., Rybalko, N. M.** and **Timofeyev, N. I.** 5, 85
**Timofeyev, N. I.** *See* **Sakhanskaya, I. N., Teytel', Ye. I., Timofeyev, N. I., Denisov, Yu. P.** and **Syutkin, P. N.** (dec.) 2, 121
**Timoshchuk, V. I.** *See* **Vlasov, K. B., Sokhareva, T. N.** and **Timoshchuk, V. I.** 6, 89

**Tiunov, V. F., Zaykova, V. A.** and **Shur, Ya. S.** Electromagnetic losses and the dynamic behaviour of the domain structure of single crystals of Fe–3% Si at high maximum levels of induction **4,** 76
**Tokmakova, V. A.** *See* **Kirshenina, I. I., Tret'yakov, B. N., Belova, L. I.** and **Tokmakova, V. A.** **2,** 39
**Tokmakova, V. A.** *See* **Vlasova, Ye. N., Matorin, V. I., Zaytseva, G. A., Tret'yakov, B. N.** and **Tokmakova, V. A.** **1,** 110
**Torba, G. F.** *See* **Rusov, G. I., Zherikov, S. P., Bochkarev, V. F.** and **Torba, G. F.** **6,** 119
**Trakhtenberg, I. Sh.** *See* **Arbuzov, V. L., Vladimirov, A. B., Danilov, S. Ye., Klotsman, S. M.** and **Trakhtenberg, I. Sh.** **2,** 113
**Tret'yakov, B. N.** *See* **Kirshenina, I. I., Tret'yakov, B. N., Belova, L. I.** and **Tokmakova, V. A.** **2,** 39
**Tret'yakov, B. N.** *See* **Vlasova, Ye. N., Matorin, V. I., Zaytseva, G. A., Tret'yakov, B. N.** and **Tokmakova, V. A.** **1,** 110
**Tyumentsev, A. N.** *See* **Korotayev, A. D., Tyumentsev, A. N., Danyushchenkov, I. A., Dizhur, L. M.** and **Arbuzov, V. K.** **4,** 96

**Udovenko, V. A.** *See* **Vintaykin, Ye. Z., Udovenko, V. A., Litvin, D. F.** and **Serebryakov, V. G.** **4,** 182
**Ukhlinov, G. A.** and **Kosakovskaya, Z. Ya.** Statistical orientational model of textured specimens of metals with uniaxial symmetry **4,** 104
**Umanskiy, G. P.** *See* **Kosevich, V. M., Lyubchenko, A. P., Grigorov, S. N.** and **Umanskiy, G. P.** **4,** 131
**Ustinov, V. G.** *See* **Pokhodnaya, I. K., Ustinov, V. G.** and **Shvachko, V. I.** **2,** 173
**Ustinov, V. V.** Contribution of plane defects to the resistivity of a metal **1,** 22
**Utevskiy, L. M.** *See* **Zambrzhitskiy, V. N., Maksimova, O. P., Gruzin, P. L., Rodionov, Yu. L., Utevskiy, L. M., Isfandiyarov, G. G., Pankova, M. N.** and **Seleznev, V. N.** **4,** 86
**Uvarov, A. I.** *See* **Pushin, V. G., Romanova, R. R., Uvarov, A. I.** and **Baranovskiy, A. N.** **2,** 129
**Uvarov, A. I.** *See* **Sadovskiy, V. D., Uvarov, A. I., Vesechkina, T. P., Gorbatenko, N. A., Karpov, P. P.** and **Petrakov, Ye. I.** **4,** 152

**Vadernikov, M. V.** *See* **Zhumagulov, A.** and **Vadernikov, M. V.** **4,** 193
**Valishev, M. G., Yesin, Yu. O.** and **Gel'd, P. V.** Influence of short-range order on the heat of formation of binary alloys **4,** 185
**Valiyev, E. Z.** Invar anomalies and the properties of ferromagnets with strong magneto-elastic interaction **5,** 73
**Valiyev, E. Z.** and **Teplykh, A. Ye.** Magnetic properties of alloys with a critical concentration and Invar anomalies **2,** 32
**Valiyev, R. Z., Kaybyshev, O. A.** and **Sergeyev, V. I.** Role of diffusion creep during superplastic deformation of magnesium alloy **6,** 144
**Varaksin, A. N.** *See* **Volobuyev, P. V., Puzanova, N. M.** and **Varaksin, A. N.** **3,** 34
**Vasilenko, A. M., Zvigintsev, N. V., Mogutnov, B. M., Khadyev, M. S.** and **Shaposhnikov, N. G.** Phase transformations during high-temperature austenitization and decomposition of the solid solution in Fe–Cr–Co–Mo maraging alloys **3,** 137
**Vas'kovskiy, V. O.** *See* **Kandaurova, G. S.** and **Vas'kovskiy, V. O.** **4,** 57

**Vaynshteyn, A. A.** and **Mendel'son, V. M.** Stresses in components during martensitic transformation 6, 156
**Verkhovskiy, S. V., Kozhanov, V. N., Stepanov, A. P., Romanov, Yc. P.** and **Galoshina, E. V.** Nuclear magnetic resonance in alloys $V_{2-x}Nb_xHf$ 6, 94
**Verkhovskiy, S. V., Kozhanov, V. N., Stepanov, A. P., Shevchenko, A. D., Pan, V. M.** and **Bulakh, I. Ye.** Nuclear magnetic resonance and susceptibility of $V_2$ (Hf, Zr) compounds. Density of electronic states 3, 91
**Vesechkina, T. P.** *See* **Sadovskiy, V. D., Uvarov, A. I., Vesechkina, T. P., Gorbatenko, N. A., Karpov, P. P.** and **Petrakov, Ye. I.** 4, 152
**Veter, V. V.** *See* **Chebotkevich, L. A., Pashchenko, T. N.** and **Veter, V. V.** 6, 68
**Vinogradov-Zhabrov, O. N.** *See* **Martem'yanova, Z. S., Vinogradov-Zhabrov, O. N., Baraboshkin, A. N.** and **Zyryanov, V. G.** 6, 163
**Vinokurova, L. I., Ivanov, V. Yu.** and **Sagoyan, L. I.** On the transition from antiferromagnetism to ferromagnetism in ordered Pt–Fe alloys 3, 76
**Vintaykin, Ye. Z., Udovenko, V. A., Litvin, D. F.** and **Serebryakov, V. G.** Elastic constants of magnesium–copper alloys 4, 182
**Vladimirov, A. B.** *See* **Arbuzov, V. L., Vladimirov, A. B., Danilov, S. Ye., Klotsman, S. M.** and **Trakhtenberg, I. Sh.** 2, 113
**Vlasov, K. B., Rozenberg, Ye. A.** and **Burkhanov, A. M.** Anisotropy of transverse even galvanomagnetic effects in natural weakly ferromagnetic hematite 1, 29
**Vlasov, K. B., Sokhareva, T. N.** and **Timoshchuk, V. I.** Magnetoresistance and the magnetic properties of $MnB_2$ 6, 89
**Vlasova, Ye. N., Izotova, G. A., Potapov, N. N.** and **Libman, M. A.** Structural features of the initial stages of ordering in alloy Co–Pt and the influence of magnetic annealing 4, 140
**Vlasova, Ye. N., Matorin, V. I., Zaytseva, G. A., Tret'yakov, B. N.** and **Tokmakova, V. A.** Structural features and magnetic properties of Fe–Ni–Cr Elinvars 1, 110
**Vo Khong An,** On the paramagnetic excitation of acoustic waves in the presence of electron currents 4, 8
**Vol'f, G. V.** and **Shirokovskiy, V. P.** Fermi surface of vanadium monoxide 3, 169
**Vol'f, G. V.** and **Shirokovsky, V. P.** The Fermi surface of titanium monoxide 1, 53
**Volkenshteyn, N. V.** *See* **Matveyev, V. A., Fedorov, G. V.** and **Volkenshteyn, N. V.** 6, 50
**Volobuyev, P. V., Puzanova, N. M.** and **Varaksin, A. N.** Continuous approximation of the theory of interstitial diffusion in metals and alloys with an f.c.c. lattice 3, 34
**Voloshinskiy, A. N.** and **Ryzhanova, N. V.** Residual coefficient of the anomalous Hall effect in alloys FeCo, FeNi and CoNi 4, 68
**Vorob'yev, Yu. N.** and **Yur'yev, G. S.** Investigation of the structure and thermodynamic parameters of a model metallic system 1, 7
**Vovk, Ya. N.** *See* **Gridnev, V. V.** and **Vovk, Ya. N.** 2, 100
**Vovk, Ya. N.** *See* **Gridnev, V. N., Vovk, Ya. N., Oshkaderov, S. P.** and **Televich, R. V.** 4, 190
**Vyatkin, A. F.** *See* **Andreyev, L. A.** and **Vyatkin, A. F.** 3, 144
**Vykhodets, V. B.** and **Fishman, A. Ya.** Concerning the discontinuity of hydrogen solubility in metals during melting 2, 197
**V'yunenko, Yu. N., Krylov, B. S., Likhachev, V. A., Meshcheryakov, Yu. I.** and **Nedbay, A. I.** Investigation of internal friction in titanium nickelide 5, 111

**Yakimov, I. I., Gorovoy, A. M.** and **Litvinsev, V. V.** Peculiarities of the hyperfine magnetic structure of Invar films 4, 46
**Yakovlev, G. P.** *See* **Glotova, L. S., Yakovlev, G. P., Kononova, L. M.** and **Mamayev, S. V.** 2, 59
**Yakovleva, I. L.** *See* **Schastlivtsev, V. M., Yakovleva, I. L.** and **Zavarov, A. S.** 1, 115
**Yakutovich, M. V.** *See* **Savin, V. I., Markin, V. Ya. Deryavko, I. I.** and **Yakutovich, M. V.** 2, 170
**Yegorushkin, V. Ye.** *See* **Boletskaya, T. K., Yegorushkin, V. Ye.** and **Fadin, V. P.** 5, 184
**Yermolenko, A. S.** *See* **Pirogov, A. N., Yermolenko, A. S., Dvinyaninov, V. N., Chuyev, V. V.** and **Kelarev, V. V.** 3, 120
**Yerukhimov, M. Sh., Zhigalov, V. S.** and **Frolov, G. I.** Temperature behaviour of the magnetization of Permalloy alloys in the presence of impurity atoms 6, 73
**Yesin, Yu. O.** *See* **Valishev, M. G., Yesin, Yu. O.** and **Gel'd, P. V.** 4, 185
**Yudina, A. G.** *See* **Berezina, T. G.** and **Yudina, A. G.** 1, 74
**Yur'yev, G. S.** *See* **Vorob'yev, Yu. N.** and **Yur'yev, G. S.** 1, 7

**Zabolotskiy, Ye. I.** *See* **Irkhin, Yu. P., Zabolotskiy, Ye. I.** and **Rozenfel'd, Ye. V.** 6, 78
**Zakharova, I. N.** *See* **Kondorskiy, Ye. I., Galkina, O. S.** and **Zakharova, I. N.** 1, 58
**Zakharova, M. I.** and **Dudchenko, G. N.** Phase structure in quenched and aged copper–tin and copper–tin–aluminium alloys 1, 174
**Zambrzhitskiy, V. N., Maksimova, O. P., Gruzin, P. L., Rodionov, Yu. L., Isfandiyarov, G. G.** and **Seleznev, V. L.** Influence of heat and radiation treatment of austenite on the martensitic transformation in Fe–Ni alloys 3, 100
**Zambrzhitskiy, V. N., Maksimova, O. P., Gruzin, P. L., Rodionov, Yu. L., Utevskiy, L. M., Isfandiyarov, G. G., Pankova, M. N.** and **Seleznev, V. N.** Influence of annealing on the austenite structure and martensitic transformation in an iron–nickel–molybdenum alloy with isothermal transformation kinetics 4, 86
**Zambrzhitskiy, V. N.** *See* **Rodionov, Yu. L., Isfandiyarov, G. G.** and **Zambrzhitskiy, V. N.** 2, 94
**Zamorov, Yu. V.** *See* **Baranov, Yu. V., Kostyukova, Ye. P.** and **Zamorov, Yu. V.** 5, 117
**Zavarov, A. S.** *See* **Schastlivtsev, V. M., Yakovleva, I. L.** and **Zavarov, A. S.** 1, 115
**Zaykova, V. A.** *See* **Tiunov, V. F., Zaykova, V. A.** and **Shur, Ya. S.** 4, 76
**Zaytseva, G. A.** *See* **Vlasova, Ye. N., Matorin, V. I., Zaytseva, G. A., Tret'yakov, B. N.** and **Tokmakova, V. A.** 1, 110
**Zherikhov, S. P.** *See* **Rusov, G. I., Zherikhov, S. P., Bochkarev, V. F.** and **Torba, G. F.** 6, 119
**Zhigalov, V. S.** *See* **Yerukhimov, M. Sh. Zhigalov, V. S.** and **Frolov, G. I.** 3. 73
**Zhorovkov, M. F.** *See* **Chulkov, Ye. V., Psakh'ye, S. G., Zhorovkov, M. F.** and **Panin, V. Ye.** 6, 1
**Zhukovskiy, I. M.** Behaviour of wedge disclinations near a surface 1, 1
**Zhumagulov, A.** and **Vadernikov, M. V.** On the electrical and thermoelectrical properties of binary metallic alloys 4, 193
**Zhuravlev, A. F.** *See* **Pushkar', V. N., Zhuravlev, A. F., Mitsek, A. I.** and **Kuz'mina, S. I.** 3, 41
**Zhuravleva, Ye. N., Romanov, Ye. P., Sudareva, S. V., Kovaleva, V. A., Figurovskaya, Ye. A.** and **Nikulin, A. D.** On the formation mechanism of the phase $V_3Ga$ in composite V/Cu-Ca 5, 122
**Zizin, V. I.** *See* **Kutsar, A. R., Rodionov, Yu. L., Zizin, V. I.** and **Isfandiyarov, G. G.** 3, 173
**Zolotarev, S. N., Molotilov, B. V.** and **Samarina, N. M.** On the nitial stages of decom-

position of the amorphous state of alloys CoFe(SiB) during annealing treatment of temperatures below the crystallization point **3,** 186

**Zolotarev, S. N., Sidorova, I. B., Skakov, Yu. A.** and **Solov'yev, V. A.** Formation of a coherent phase on stress raisers. The influence of the dissociation of dislocations, presence of dislocation assemblages and differences in the elastic moduli of the phases **1,** 87

**Zverev, V. M.** and **Silin, V. P.** The magnon spectrum and magnetoacoustic resonance in conductive ferromagnets **1,** 15

**Zvigintsev, N. V.** *See* **Vasilenko, A. M., Zvigintsev, N. V., Mogutnov, B. M., Khadyev, M. S.** and **Shaposhnikov, N. G.** **3,** 137

**Zyryanov, V. G.** *See* **Martem'yanova, Z. S., Vinogradov-Zhabrov, O. N., Baraboshkin, A. N.** and **Zyryanov, V. G.** **6,** 163

**Zyryanova, N. P., Kondrat'yev, A. S., Kuchma, A. Ye.** and **Okulov, V. I.** The transverse electric quantum wave spectrum in thin metal films **5,** 57